



Form for Uploading Compliance Report

Proposal No :	IA/MH/THE/19991/2009	Proposal Name :	2x300 MW coal Based Thermal Power Plant
Category :	Thermal Projects	MoEF File No. :	J-13011/10/2009-IA.II (T)

Compliance Letter/Report

Year of Compliance:	-All Years-	Date of Compliance * :	Select
Remarks :		Upload Compliance Letter/Report * :	Choose File No file chosen (.pdf only)

SUBMIT

Sno.	Proposal No.	Uploaded copy of Compliance report	Remarks	Uploaded Date	Delete
1	IA/MH/THE/19991/2009	0529202147136049DIL-SixmonthlyECComplianceReportOct-20toMar-21.pdf	DIL EC Compliance Oct'20 to Mar'21	29/05/2021	
2	IA/MH/THE/19991/2009	1128202134841387DIL-SixmonthlyECComplianceReportApr-21toSept-21.pdf	DIL Six Monthly EC Compliance Report Apr 21 to Sept 21	28/11/2021	

Ref. No.: DIL/HSE/F-09/21-22/73

Date: 25/11/2021

To,
The APCCF (C),
Ministry of Environment and Forest, Climate Change,
Regional Office (WCZ) Ground Floor,
East Wing, New Secretariat Building,
Civil Line, NAGPUR – 440001 (MH).

**Sub. : Half Yearly Compliance Report of the Environmental Clearance for the period of
1st April 2021 to 30th September 2021.**

**Ref. : MoEF, Govt. of India Environmental Clearance No. J-13011/10/2009-IA. II (T)
dated 4th December 2009.**


Dear Sir,

We are operating 2 x 300 MW Thermal Power Plant M/s Dhariwal Infrastructure Limited at Plot No. C-6, MIDC, Tadali Industrial Area, Chandrapur (M.S.). We are enclosing herewith point wise compliance report of conditions stipulated in Environmental Clearance along with requisite annexures (In soft) granted vide above referred letter for the period of 1st April 2021 to 30th September 2021.

We are making our sincere efforts for creating cleaner and greener environment with-in and outside company premises.

Thanking you,

Yours faithfully,
For: **DHARIWAL INFRASTRUCTURE LTD.**


Authorized Signatory

Encl.: As above

CC:

- 1. The Member Secretary, Central Pollution Control board, Parivesh Bhawan, East Arjun Nagar, Delhi – 110032.**
- 2. The Regional Director, Central Pollution Control board, Pune, Maharashtra.**
- 3. The Member Secretary, Maharashtra Pollution Control board, Kalpataru Point, 4th Floor, Sion (E'), Mumbai – 400022.**
- 4. The Regional Officer, Maharashtra Pollution Control board, 1st Floor, Udyog Bhawan, Chandrapur - 442401, Maharashtra.**



**Environmental Compliance Report
for
the Period From
1st April 2021 to 30th September 2021**

Of

**M/s. DHARIWAL INFRASTRUCTURE LTD.
Plot No. C-6, C-7 & C-8,
Tadali Industrial Area,
MIDC, Village – Tadali,
Dist. - Chandrapur**

***Submitted to*
Ministry of Environment, Forest and Climate Change
Regional Office (WCZ), Ground Floor, East Wing
New Secretariat Building
Civil Line, Nagpur – 440001 (MH)**

1.0 PREAMBLE

Dhariwal Infrastructure Limited has been granted MoEF Environmental Clearance for 2 x 300 MW Thermal Power Plant vide no. J-13011/10/2009-IA. II (T) dated 04-12-2009

Unit -1 of Thermal Power Plant has been installed and commissioned in February 2014 and Unit -2 in August 2014 respectively. The MPCB Consent to Operate is valid up to 30.06.2024.

All the environmental Protection & Conservation works including air pollution control systems, effluent treatment plant, sewage treatment plant, rain water harvesting, greenbelt development activities etc are completed. The present compliance status is given below.

2.0 COMPLIANCE STATUS

The conditions stipulated in Environmental Clearance are followed scrupulously. Compliance is reported hereunder for the period from 1st April 2021 to 30th September 2021 in serial order of Environmental Clearance Letter as delineated below.

Sr. No.	Conditions	Compliance Status
(i)	No further expansion shall be permitted for this power plant in view of the uncertainty of water in lean season.	Noted.
(ii)	The two radial wells shall be constructed maintaining a distance of at least 450 m between them and at least 500 m from the nearest habitations/village boundary.	Complied, radial wells are constructed 500 meters away from the nearest habitation.
(iii)	Water from the radial well(s) shall be utilized only for extreme necessity during lean season and shall be kept only as standby arrangement during lean season.	Water from the radial well(s) is utilized only for extreme necessity during lean season and kept only as standby arrangement during lean season.
(iv)	Hydro-geological study of the area shall be reviewed annually and results submitted to the Ministry and concerned agency in the State Govt. In case adverse impact on ground water quantity and quality is observed, immediate mitigating steps to contain any adverse impact on ground water shall be undertaken.	Hydro-geological status of the area is reviewed regularly. Ground water level and Ground water quality in the study area is regularly analyzed. Reports for the compliance period (Apr'21 to Sep'21) are enclosed as Annexure-1 .
(v)	A Two Bi-Flue stack of 275 m height shall be provided with continuous online monitoring equipment for SO _x , NO _x and	A Bi-Flue stack of 275 m height is provided with continuous online monitoring equipment for SO _x , NO _x

	PM. Exit velocity of flue gases shall not be less than 25 m/sec. Mercury emissions from stack shall also be monitored on periodic basis.	and PM. Mercury emissions from stack is also being monitored on periodic basis. Report is enclosed as Annexure-2 .
(vi)	High Efficiency Electrostatic Precipitators (ESPs) shall be installed to ensure that particulate emission does not exceed 50 mg/Nm ³ .	High Efficiency Electrostatic Precipitator (ESP) for unit 1 & 2 are commissioned and in operation. Both ESP's are designed to ensure that particulate emission does not exceed 50 mg/Nm ³ . The analysis reports of stack emission monitoring for both units are enclosed as Annexure-2 .
(vii)	Adequate dust extraction system such as cyclones/ bag filters and water spray system in dusty areas such as in coal handling and ash handling points, transfer areas and other vulnerable dusty areas shall be provided.	Complied, Adequate dust extraction & dust suppression systems are provided in CHP & AHP. Water sprinklers & tankers sprinklers are administered as and when required.
(viii)	Utilization of 100% Fly Ash generated shall be made from 4 th year of operation of the plant. Status of implementation shall be reported to the Regional Office of the Ministry from time to time.	Complied, 100% Fly Ash generated is being taken by nearby cement plants and Brick Manufacturers for cement and Bricks manufacturing. Ash generation and utilization details for the period of Apr'21 to Sep'21 is enclosed as Annexure-3 .
(ix)	Fly ash shall be collected in dry form and storage facility (silos) shall be provided. 100% fly ash utilization shall be ensured from 4 th year onwards, Unutilized fly ash shall be disposed off in the ash pond in the form of slurry form. Mercury and other heavy metals (As, Hg, Cr, Pb etc.) will be monitored in the bottom ash as also in the effluents emanating from the existing ash pond. No ash shall be disposed off in low lying area.	Complied, 02 no's of fly ash silo of 3280 MT capacity is constructed to handle dry ash. Mercury and other heavy metals are monitored in bottom ash and ash pond effluent. Condition for not using ash disposal in low lying area is omitted vide MoEF & CC (IA Division) Office Memorandum dated 28 August 2019. Heavy metal analysis report is enclosed as Annexure-4 .
(x)	Ash pond shall be lined with HDP/LDP lining or any other suitable impermeable media such that no leachate takes place at any point of time. Adequate safety measures shall also be implemented to protect the ash dyke from getting breached.	Complied, Ash pond is lined with LDP lining such that no leachate takes place at any point of time. Adequate safety measures like proper sloping, boulder pitching, greenbelt development, adequate bund thickness etc. are implemented to protect the ash dyke from getting breached.
(xi)	For disposal of Bottom Ash in abandoned mines (if proposed to be	Noted, will be complied.

	undertaken) it shall be ensured that the bottom and sides of the mined out areas are adequately lined with clay before Bottom Ash is filled up. The project proponent shall inform the State Pollution Control Board well in advance before undertaking the activity.	
(xii)	As per revised EC dated 09/09/2010 closed cycle cooling tower with Induced draft cooling towers shall be provided. The Effluents shall be treated as per the prescribed norms.	Closed cycle cooling system with Induced draft cooling towers is provided. The effluents are treated as per the prescribed norms and is utilized as per reduce, reuse and recycle techniques within the operating facility for example dust suppression, Bed Ash quenching, Ash Slurry water make-up purpose etc.
(xiii)	The treated effluents conforming to the prescribed standards only shall be discharged. Arrangements shall be made that effluents and storm water do not get mixed.	Our operating facility is based on ZLD (Zero liquid discharge). The treated effluents conforming to the prescribed standards are utilized as per reduce, reuse and recycle techniques within the operating facility. Arrangements are made such that effluents and storm water do not get mixed. Please refer Annexure-4 .
(xiv)	A sewage treatment plant shall be provided and the treated sewage shall be used for raising greenbelt/plantation.	Complied, Sewage treatment plant of adequate capacity is provided and the treated sewage is used for raising greenbelt/plantation.
(xv)	Rainwater harvesting should be adopted Central Groundwater Authority/ Board shall be consulted for finalization of appropriate rainwater harvesting technology within a period of three months from the date of clearance and details shall be furnished.	Rain water harvesting pond is developed in which, rain water is regularly collected through natural drains. We have permission from Central Ground Water Board for implementation of rain water harvesting.
(xvi)	Adequate safety measures shall be provided in the plant area to check/minimize spontaneous fires in coal yard, especially during summer season. Copy of these measures with full details along with location plant layout shall be submitted to the Ministry as well as to the Regional Office of the Ministry.	Provision of Adequate safety measures in the plant area to check/minimize spontaneous fires in coal yard is provided. Dedicated fire hydrant system comprised of fire monitors and rain guns have been provided around coal stock yard.
(xvii)	Storage facilities for auxiliary liquid fuel such as LDO and/ HFO/LSHS shall be made in the plant area in consultation with Department of Explosives, Nagpur.	Complied, License from DoE for storage facility of auxiliary liquids is granted, Sulphur content is maintained within the permissible range of 0.5%.

	Sulphur content in the liquid fuel will not exceed 0.5%. Disaster Management Plan shall be prepared to meet any eventuality in case of an accident taking place due to storage of oil.	Disaster Management Plan is prepared and in place and approved by appropriate authority. DoE license is enclosed as Annexure-5 .
(xviii)	Regular monitoring of ground water level shall be carried out by establishing a network of existing wells and constructing new piezometers. Monitoring around the ash pond area shall be carried out particularly for heavy metals (Hg, Cr, As, Pb) and records maintained and submitted to the Regional Office of this Ministry. The data so obtained should be compared with the baseline data so as to ensure that the ground water quality is not adversely affected due to the project.	We are monitoring Ground water level and Quality inside industry premises and nearby ash pond area periodically. Reports are enclosed as Annexure-1 .
(xix)	Green Belt consisting of 3 tiers of plantations of native species around plant and at least 100 m width shall be raised. Wherever 100 m width is not feasible a 50 m width shall be raised and adequate justification shall be submitted to the Ministry. Tree density shall not less than 2500 per ha with survival rate not less than 70 %.	As on date about 1,58,432 trees have been planted with a survival rate of not less than 70%. The major existing trees are Akeshiya, Imli, Karanj, Mahaneem, Neem, Nilgiri, Peltocofora, Sisam and Casia, casuarina, Eucalyptus etc. The other existing trees are Apta, Amla, Anjeer, Areka Palm, Aerial Palm, Arjun ,Ashoka, Bargad, Badam, Banana, Boganvel, Chikku, Coconut, Flower tree, Ficus benjamina, Goldan Bambu, Green Bambu, Gulmohar, Jambhul Jaswant, Kadam, Kanher ,Kawat, Mahagani, Mango, Mogra Mosambi, Nimbu , Pipal, Rain Tree, Red Rose, Royal Palm, Ornamental Plants, Saru, Simal, Spindal Palm, Silver oke , Swastik, Vel (Kourav & Pandava), Vidya, X-mas tree, Yellow Bell, Bakul, Papaya, Sitaphal, Bel, Shahtut ,Anar, Sevga, Amrud,Ber, Kher etc. (Photographs attached as Annexure-6).
(xx)	First Aid and sanitation arrangements shall be made for the drivers and other contract workers during construction phase.	Complied during construction phase.
(xxi)	Noise level emanating from turbines shall be so controlled such that the noise	We are regularly monitoring work place noise level at 25 locations including

	<p>in the work zone shall be limited to 75 dB(A). For people working in the high noise area, requisite personal protective equipment like earplugs/ear muffs etc. shall be provided. Workers engaged in noisy areas such as turbine area, air compressors etc. shall be periodically examined to maintain audiometric record and for treatment of any hearing loss including shifting to non noisy/less noisy areas.</p>	<p>turbine, air compressors on quarterly basis. Norms for Work zone Noise level is 85 dB(A) and for AAQ noise level, it is 75 dB(A). The results are well within the limit.</p> <p>Noise level emanating from turbines is controlled such that the noise in the work zone is well within limit. For people working in the high noise area, requisite personal protective equipment like earplugs/ear muffs etc. are provided. Workers engaged in noisy areas are periodically examined & we are maintaining audiometric record and for treatment for any hearing loss including shifting to suitable areas is done. The work zone noise results are enclosed herewith as Annexure-7(A) & 7(B).</p>
(xxii)	<p>Regular monitoring of ground level concentration of SO₂, NO_x, RSPM (PM₁₀/PM_{2.5}) and Hg shall be carried out in the impact zone and records maintained. If at any stage these levels are found to exceed the prescribed limits, necessary control measures shall be provided immediately. The location of the monitoring stations and frequency of monitoring shall be decided in consultation with SPCB. Periodic reports shall be submitted to the Regional Office of the Ministry. The data shall also be put on the website of the company.</p>	<p>Complied, regular ambient air quality monitoring from NABL accredited laboratory at six locations is carried out and reports for the compliance period are enclosed as Annexure-8 and being submitted regularly.</p>
(xxiii)	<p>A good action plan for R&R (if applicable) with package for the project affected persons be submitted and implemented as per prevalent R&R policy within three months from the date of issue of this letter.</p>	<p>We are located in Maharashtra Industrial Development Corporation (MIDC) area, hence R & R is not applicable to us.</p>
(xxiv)	<p>An amount of Rs. 12.0 Crores shall be earmarked as one time capital cost for CSR programme. Subsequently a recurring expenditure of Rs. 3.0 Crore per annum shall be earmarked as recurring expenditure for CSR activities. Details of the activities to be undertaken shall be submitted within month along with road map for implementation.</p>	<p>Road map is worked out for implementation of CSR activities. A partnership along with Zila Parishad, Chandrapur & UNICEF for improving water & sanitation facilities in ten Grampanchayat, Schools and Anganwadis is done and further work is under progress. The implementation of</p>

		<p>following CSR activities undertaken in the aforesaid period.</p> <ol style="list-style-type: none"> 1. Training on Health & Sanitation in nearby nine no. of villages. Supply of Sanitary amenities to the locals. 2. Swachh Bharat Abhiyan in Nine villages. Construction of toilets and hand wash facilities. 3. Water drinking facility in Pandharkwada and Wadha villages 4. Training to Adolescent girls. 5. Training to villagers of nine villages for Digital villages. 6. Agriculture Projects in nearby villages. 7. Educational Programs in nearby villages. 8. Training to six nos. of SHG (Self Help Groups) for self-employment. <p>The unit has suffered severe financial crunch since beginning and was unable to make profit till last financials declaration for FY year 19-20. However, in spite of adverse financial condition we have made significant contribution for the society. Details of CSR activities are attached as Annexure-9.</p>
(xxv)	<p>As part of CSR programme the company shall conduct need based assessment for the nearby villages to study economic measures with action plan which can help in upliftment of poor section of society. Income generating projects consistent with the traditional skills of the people besides development of fodder farm, fruit bearing orchards, vocational training etc. can form a part of such programme. Company shall provide separate budget for community development activities and income generating programs. This will be in addition to vocational training for individuals imparted to take up self employment and jobs.</p>	<p>A need based survey had been carried out by Social Action for Rural Development (SARDA) in nearby areas to assess the social and economic status of the people based on which a comprehensive document is prepared to deal with need based CSR activities. The implementation of following CSR activities undertaken in the aforesaid period.</p> <ol style="list-style-type: none"> 1. Training on Health & Sanitation in nearby nine no. of villages. Supply of Sanitary amenities to the locals. 2. Swachh Bharat Abhiyan in Nine villages. Construction of toilets and hand wash facilities.

		<p>3. Water drinking facility in Pandharkwada and Wadha villages</p> <p>4. Training to Adolescent girls</p> <p>5. Training to villagers of nine villages for Digital villages.</p> <p>6. Agriculture Projects in nearby villages.</p> <p>7. Educational Programs in nearby villages.</p> <p>8. Training to six nos. of SHG (Self Help Groups) for self-employment.</p> <p>The unit has suffered severe financial crunch since beginning and was unable to make profit till last financials declaration for FY year 19-20. However, in spite of adverse financial condition we have made significant contribution for the society. Details of CSR activities are attached as Annexure-9.</p>
(xxvi)	Provision shall be made for the housing of construction labors within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in this form of temporary structures to be removed after the completion of the project.	Complied during construction phase. Demolition of temporary structures of construction phase is under progress.
(xxvii)	The project proponent shall advertise in at least two local newspapers widely circulated in the region around the project, one of which shall be in the vernacular language of the locality concerned within seven days from the date of this clearance letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the State Pollution Control Board/Committee and may also be seen at Website of the Ministry of Environment and Forests at http://envfor.nic.in .	Complied.
(xxviii)	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parisad / Municipal Corporation, urban local body and the	Complied. Copy of DIL Environment Clearance is put in the company website. www.dilenergy.co.in

	local NGO, if any, from whom suggestions/representations, if any, received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	
(xxix)	A separate Environment Management Cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	Complied. Environment Management Cell with qualified staff is set up for implementation & maintaining the stipulated environmental safeguards.
(xxx)	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM (PM ₁₀ /PM _{2.5}) SO ₂ NO _x (ambient levels as well as stack emissions) shall be displayed at a convenient location near the main gate of the company in the public domain.	Complied. Status of compliance is being uploaded on company's website, www.dilenergy.co.in EC compliance reports are being sent to designated Regulatory Bodies regularly. Criteria pollutant levels are displayed at the main gate of the company for the general public.
(xxxi)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.	Yes, six monthly reports are regularly submitted since beginning about the status of compliance of the stipulated EC conditions including results of monitored data to the respective Regional office of MoEF, the respective Zonal office of CPCB and the SPCB.
(xxxii)	The environment statement for each financial /year ending 31 st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of the Ministry by e-mail.	Yes, Environment Statement in Form-V for financial year ending 31 st March 2021 is submitted to MPCB. Acknowledged letter copy is enclosed herewith as Annexure -10 . Copy of the same has been uploaded on company's website, i.e. www.dilenergy.co.in .
(xxxiii)	The project proponent shall submit six monthly reports on the status of the implementation of the stipulated	Complied, , six monthly reports are regularly submitted about the status of the implementation of the stipulated

	environmental safeguards to the Ministry of Environment and Forests, its Regional Office, Central Pollution Control Board and State Pollution Control Board. The project proponent shall upload the status of compliance of the environment of the environmental clearance conditions on their website and update the same periodically and simultaneously send the same by e-mail to the Regional Office, Ministry of Environment and Forests.	environmental safeguards to the Ministry of Environment and Forests Regional office, Central Pollution Control Board and State Pollution Control Board. Copy of the same has been uploaded on company's website, i.e. www.dilenergy.co.in .
(xxxiv)	Regional Office of the Ministry of Environment & Forests will monitor the implementation of the stipulated conditions. A complete set of documents including Environmental Impact Assessment Report and Environment Management Plan along with the additional information submitted from time to time shall be forwarded to the Regional Office for their use during monitoring. Project proponent will upload the compliance status in their website and up-date the same from time to time at least six monthly basis. Criteria pollutants levels including NOx (from stack & ambient air) shall be displayed at the main gate of the power plant.	Being Complied, Compliance status has been uploaded on company's website, www.dilenergy.co.in . Criteria pollutant levels are displayed at the main gate of the company.
(xxxv)	Separate funds shall be allocated for implementation of environmental protection measures along with item-wise break-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should be reported to the Ministry.	Yes, separate funds are allocated for implementation of environmental protection measures. Total Expenses from 1 st April 2021 to 31 st October 2021 were 362 Lakhs on environment control measures.
(xxxvi)	The project authorities shall inform the Regional Office as well as the Ministry regarding the date of financial closure and final approval of the project by the concerned authorities and the dates of start of land development work and commissioning of plant.	Plant is in operation. COD for unit #1 was on dated 11 Feb. 2014 & for unit #2 was 02th Aug. 2014. Information has been given to the authorities.
	Full cooperation shall be extended to the Scientists/Officers from the	Noted & Agreed.

	Ministry/Regional Office of the Ministry at Bhopal/CPCB/SPCB who would be monitoring the compliance of environmental status.	
--	--	--

SL No	Additional Conditions (as per MoEF & CC Notification No. S.O. 1561(E), dated 21.05.2020)	Compliance Status
(1)	Setting Up Technology Solution for emission norms:	
	(i) Compliance of specified emission norms for Particulate Matter, as per extant notifications and instructions of Central Pollution Control Board, issued from time to time.	ESP's are designed to ensure that particulate emission does not exceed 50 mg/Nm ³ .
	(ii) In case of washries, Middling and rejects to be utilized in FBC (Fluidized Bed Combustion) technology based thermal power plants. Washery to have linkage for middling and rejects in Fluidized Bed Combustion plants.	Not Applicable to us.
(2)		
	(i) The thermal powers plants shall comply with conditions, as notified in the Fly Ash notification issued from time to time, without being entitled to additional capacity of fly ash pond (for existing power generation capacity) on ground of switching from washed coal to unwashed coal.	Plant management is focused on effective utilization of Ash generated at site. For achieving 100% dry Ash utilization, Ash generated is being utilized in nearby cement plants and Brick Manufacturers and others value added products.
	(ii) Appropriate Technology solutions shall be applied to optimize water consumption for Ash management;	<ul style="list-style-type: none"> •Entire Ash is handled in dry form without requiring water except furnace Ash •Furnace Ash or Bottom Ash is transported as slurry from bottom Ash hopper to the Ash pond. After the process of decantation, water is recycled and reused again in transportation of Ash slurry.
	(iii) The segregation of ash may be done at the Electro-Static Precipitator stage, if required, based on site specific conditions, to ensure maximum utilization of fly ash;	High efficiency ESPs have been installed and entire quantity of Ash collected from ESP's is utilized as per available regulatory guideline.
	(iv) Subject to 2(i) above, the thermal power plants to dispose fly ash in abandoned or working mines (to be	Noted, will be complied.

	facilitated by mine owner) with environmental safeguards.	
(3)	Transportation:	
	(i) Coal transportation may be undertaken by covered Railway wagon (railway wagons covered by tarpaulin or other means) and/or covered conveyer beyond the mine area. However, till such time enabling Rail transport/conveyer infrastructure is not available, road transportation may be undertaken in trucks, covered by tarpaulin or other means.	Coal transportation is being done through Rail. However, transportation of coal by road is carried out by covered truck only as and when needed.
	(ii) It shall be ensured by the thermal power plant that a. Rail siding facility or conveyor facility is set up at or near the power plant, for transportation by rail or conveyor; and b. If transportation by rail or conveyor facility is not available, ensure that the coal is transported out from the Delivery Point of the respective mine in covered trucks (by tarpaulin or other means), or any mechanized closed trucks by road.	There is a railway siding facility within the plant premises. Noted, Being complied

Monitoring the Implementation of Environmental Safeguards
Ministry of Environment & Forests
Regional Office (W), Nagpur

Monitoring Report			
PART- I			
DATA SHEET			
Ref No.	DIL/HSE/F-09/21-22/		Date : 25/11/2021
1.	Project type : River-valley/Mining / Industry/Thermal/Nuclear/other (specify)	:	Thermal Power Plant
2	Name of the project	:	M/s. Dhariwal Infrastructure Ltd. Plot No. C-6, C-7 & C-8, Tadali Industrial Area, MIDC, Village – Tadali, Dist. - Chandrapur
3.	Clearance letter (s)/OM no and date	:	J-13011/10/2009-IA. II (T) dated 04 -12-2009
4.	Location		
	a. District (s)	:	Chandrapur
	b. State(s)	:	Maharashtra
	c. Latitude/Longitude	:	Latitude : 20°00'30" to 20°01'20" North Longitude 79°11'50" to 79°12'35" East
5.	Address for correspondence		
	a. Address of Concerned Project Chief Engineer (with pin code & telephone/telex/fax numbers)	:	Shri. Rabi Chowdhury, Managing Director M/s. Dhariwal Infrastructure Ltd. Plot No. C-6, C-7 & C-8, Tadali Industrial Area, MIDC, Village – Tadali, Dist. – Chandrapur, PIN - 442406 Phone No. 07172-645911-13 Fax No.- 07172-237992
	b. Address of Executive Project Engineer/Manager (with pin code/fax numbers)	:	Shri. Bhaskar Kumar Ganguly Vice President M/s. Dhariwal Infrastructure Ltd. Plot No. C-6, C-7 & C-8, Tadali Industrial Area, MIDC, Village – Tadali, Dist. – Chandrapur PIN - 442406 Phone No. 07172-645911-13 Fax No.- 07172-237992
6	Salient features		
	a. of the project	:	Please refer Enclosure-1
	b. of the environmental management plans	:	
7.	Breakup of the project area		
	a. submergence area : forest & non-forest	:	Not applicable since the Unit is set up in MIDC Industrial Area

	b.	Others	:	Total project area : 441.84 Acres Area earmarked for green belt development is : 125.34 Acres
8.		Breakup of the project affected population with enumeration of those losing houses/dwelling units only agricultural land only, both dwelling units & agricultural land & landless laborers/artisan (Please indicate whether these figures are based on any scientific and systematic survey carried out or only provisional figures, if a survey is carried out give details and years of survey)	:	Not applicable since the Unit is set up in MIDC Industrial Area
9.		Financial details		
	a.	Project cost as originally planned and subsequent revised estimates and the year of price reference	:	Total project cost originally planned was Rs. 3054 Crores. The gross capital investment incurred as on 31.03.2021 is Rs. 3904.50 Crores.
	b.	Allocation made for environmental management plans with item wise and year wise break-up		Rs. 362 Lakhs.
Sr.No.		Particular		Capital Cost Incurred for 1st April 2021 to 30th Sept 2021 (Rs. In Lakhs) Recurring Cost Incurred for 1st April 2021 to 30th Sept 2021 (Rs. In Lakhs)
	1	Air Pollution Control		53.14 105.59
	2	Water Pollution Control		7.57 59.83
	3	Noise Pollution Control		
	4	Environment Monitoring and Management		32.49
	5	Reclamation borrow/mined area		55.38
	6	Occupational Health		8.77
	7	Green Belt and Land Environment		28.07
	8	Others (Pl. Specify) Socio-economic Environment		11.16
		Total		60.71 301.29
	c.	Benefit cost ratio/Internal rate of Return and the year of assessment	:	The construction work is started in the financial year 2010-11 and Plant is commissioned in two phases in October 2013 and July 2014.
	d.	Whether (c) includes the cost of environmental management as shown in the above	:	Yes
	e.	Actual expenditure incurred on the project so far	:	Rs. 3904.50 Crores
	f.	Actual expenditure incurred on the	:	Capital Cost : Rs. 60.71 Lakhs

		environmental management plans from October 2020 to March 2021.		Recurring Cost : <u>Rs. 301.29 Lakhs</u> Total : Rs. 362 Lakhs
10	Forest land requirement			
	a.	The status of approval for diversion of forest land for non-forestry use	:	Not applicable, since the Unit is located in MIDC Industrial Area, Tadali, Chandrapur.
	b.	The status of clearing felling	:	Not applicable
	c.	The status of compensatory afforestation, if any	:	Not applicable
	d.	Comments on the viability & sustainability of compensatory afforestation programme in the light actual field experience so far	:	Not applicable
11	The status of clear felling in non-forest areas (such as submergence area of reservoir, approach roads), if any with quantitative information		:	Not applicable
12	Status of construction			
	a.	Date of commencement (Actual and/or planned)	:	June 2010
	b.	Date of completion (Actual and/of planned)	:	July 2014
13	Reasons for the delay if the project is yet to start		:	Work is completed.
14	Dates of site visits			
	a	The dates on which the project was monitored by the Regional Office on previous occasions, if any.	:	Nil
	b.	Date of site visit for this monitoring report.	:	--
15	Details of correspondence with project authorities for obtaining action plans/information on status of compliance to safeguards other than the routine letters for logistic support for site visits. (The first monitoring report may contain the details of all the letters issued so far, but the later reports may cover only the letters issued subsequently.)		:	DIL is regularly submitting Half Yearly Compliance Reports since beginning.

ENCLOSURE-1

SALIENT FEATURES

1.0 Salient Features of the Project

- ❖ It is a coal based Thermal Power Plant (TPP) of capacity @ 2 x 300 MW. The requirement of coal is 3.0 Million TPA and full-fledged coal handling plant is installed in the Unit.
- ❖ Auxiliary fuel, LDO is stored in 2 X 1000 m³ storage capacity tank.
- ❖ Total fresh water requirement is 19.272 Million KL Per Annum and it is fulfilled from Wardha River.
- ❖ Rail infrastructure & Road network is adequately available.
- ❖ The 400 KV Sub-Station - Chandrapur is located at 7.0 km towards East direction and connected for power evacuation.
- ❖ The ash handling system comprising dry extraction by pneumatic conveying system has been provided, Ash bund of adequate capacity is also provided. Ash disposal as per Fly Ash Notification Nov. 2008 is in progress.
- ❖ The operation of 2 x 300 MW TPP is started with all pollution control systems.

2.0 Salient Features of Environment Management Plan.

Adequate pollution control measures with latest pollution control system are installed in the Plant.

The EMP has been prepared to further mitigate the impacts, if any, on environment due to the Unit and to ensure that the study area will be well conserved during construction and operation phase of the TPP.

2.1.1 Construction Phase

- ❖ Constuction Phase is over in year 2014 and Plant (both Unit-1 and Unit-2) was commissioned on February 2014 and August 2014 respectively.

2.1.2 Operation Phase

2.1.2.1 Land Environment

The EMP for land environment is to scientifically utilize the capabilities of different plant species for attenuation of particulate and noise. Further, afforestation programme & green belt development programme is in progress on priority.

- ❖ The tree species selected for plantation are as per the CPCB Guidelines.
- ❖ Tree species are selected considering tolerance to specific conditions or alternatively wide adaptability to eco-physiological conditions.

- ❖ Fly ash is directly supplied to cement plants. Bottom Ash is given to surrounding Brick Manufacturers.
- ❖ 100% Ash utilization is achieved and maintained.
- ❖ Abandoned quarries/mines in the region will be studied for filling and leveling by bed ash if required.
- ❖ All Hazardous Waste generated are disposed of to authorized Recycler or CHWTSDF as per their nature within stipulated time as per Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2016.

21.2.2 Air Environment

Generation of ambient air quality data helps to develop sustainable environment. Following measures are carried out for further environmental improvements:

- ❖ A system is developed for the regular checkup and efficient maintenance of all the pollution control arrangements.
- ❖ Truck/wagon unloading operations are regularly supervised to reduce fugitive emissions.
- ❖ A green belt around the plant site and plantation within the plant premises especially around the possible sources of fugitive emissions is carried out
- ❖ For reduction of fugitive emissions we have concreted most of our major roads. Roads sprinklers are provided in CHP area to reduce fugitive emission during vehicle movement. Besides, water tankers are also provided to sprinkle water on roads. Roads are also cleaned periodically. Water sprinklers are also provided in Coal yard to reduce fugitive emission.
- ❖ Conveyors are covered all along the length and transfer points, to prevent fugitive emission.
- ❖ Dry Fog Dust Suppression System and Dust Extraction Systems has been installed at all transfer points in CHP.

2.1.2.3 Noise Environment

- ❖ The operator's cabins and control rooms are properly acoustically insulated with special doors and observation windows.
- ❖ Noise attenuating devices like ear plug and ear muffs are provided to protect the workers from high noise levels.
- ❖ Walls and ceilings are lined with sound absorbing materials, wherever required.
- ❖ The vent valves are equipped with silencers.

2.1.2.4 Water Environment

- ❖ The water conservation scheme is implemented in different sections/ operations so as to reduce water requirements.

- ❖ Regular monitoring and quantification of water requirement at various operations/sections is carried out.
- ❖ Rain water harvesting is carried out inside plant premises.
- ❖ All the pipeline/taps leakage is promptly attended to.

2.1.2.5 Socio-Economic Environment

Environmental Management Plan (EMP) is prepared considering the impacts which have manifested as a result of the ongoing activities i.e. existing socio-economic profile in the study area. The details are given below

- ❖ Though there is limited direct employment required in the TPP, still the local people are given opportunities for indirect jobs and business in the project.
- ❖ All workers, labours & staff are provided with personal protective appliances (PPEs') and safety gadgets.
- ❖ Social welfare programmes with reference to health, education, water conservation, income generation are organized in the nearby villages.
- ❖ For all the social welfare activities to be undertaken by the authorities, collaboration and consultation is sought with the local administration, grampanchayat, block development office, NGOs etc. for better co-ordination.
- ❖ Rest rooms, canteen, drinking water etc near the work place are provided for contract labours as well as transporters.

Annexure – 1

GROUND WATER LEVEL STATUS

May - 2021

Sr. No. of Villages	Village Name	Details of Locations	Field Code No.	Date of Measurement	Internal Diameter in mtr. (m)	Static Water Level from Measuring Point in mtr.(level in mbmp)	Measuring Point i.e. MP distance above ground level in mtr. (magl)	Water Level below ground level (level in mbmp - magl = mbgl)
1.	Village- Pandharkwada	Dugwell of Shri Pandari Zitraji Wadai Farm	DIL 1	18-05-2021	2.55	8.10	0.8	7.30
2.	Village- Sonegaon	Grampanchayat Dugwell,Near Hanuman Mandir	DIL 2	18-05-2021	4.10	8.25	0.8	7.45
3.	Village- Sonegaon	Borewell of Shri Kundlik Vishwanath Urkude,	DIL 3	18-05-2021	0.16	7.00	0.1	6.90
4.	Village- Yerur	Dugwell of Shri Ravindra Pandurangji Balki	DIL 4	18-05-2021	6.0	8.05	0.1	7.95
5.	Village- Wandhari	Borewell Water of Hanuman Mandir	DIL 5	18-05-2021	5.0	8.55	0.2	8.35
6.	Village- Yerur	Grampanchayat Dugwell near Primary School	DIL 6	18-05-2021	4.95	8.50	0.7	7.80
7.	Village- Ghodpeth	Dugwell of Shiv Mandir	DIL 7	18-05-2021	4.50	2.35	0.6	1.75

[illegible]

August – 2021

Sr. No. of Villages	Village Name	Details of Locations	Field Code No.	Date of Measurement	Internal Diameter in mtr. (m)	Static Water Level from Measuring Point in mtr.(level in mbmp)	Measuring Point i.e. MP distance above ground level in mtr. (magl)	Water Level below ground level (level in mbmp - magl = mbgl)
1.	Village- Pandharkwada	Dugwell of Shri Pandari Zitraji Wadai Farm	DIL 1	08-08-2021	2.55	7.85	0.8	7.05
2.	Village- Sonegaon	Grampanchayat Dugwell,Near Hanuman Mandir	DIL 2	08-08-2021	4.10	8.00	0.8	7.20
3.	Village- Sonegaon	Borewell of Shri Kundlik Vishwanath Urkude,	DIL 3	08-08-2021	0.16	6.82	0.1	6.72
4.	Village- Yerur	Dugwell of Shri Ravindra Pandurangji Balki	DIL 4	08-08-2021	6.0	7.88	0.1	7.78
5.	Village- Wandhari	Borewell Water of Hanuman Mandir	DIL 5	08-08-2021	5.0	8.43	0.2	8.23
6.	Village- Yerur	Grampanchayat Dugwell near Primary School	DIL 6	08-08-2021	4.95	8.36	0.7	7.66
7.	Village- Ghodpeth	Dugwell of Shiv Mandir	DIL 7	08-08-2021	4.50	2.18	0.6	1.58
8.	Village- Tadali	Grampanchayat Dugwell Near Z. P. Primary School	DIL 8	08-08-2021	3.65	2.15	0.8	1.35
9.	Village- Morwa	Dugwell near Jagnath Baba Mandir	DIL 9	08-08-2021	2.40	2.76	0.8	1.96

Sr. No. of Villages	Village Name	Details of Locations	Field Code No.	Date of Measurement	Internal Diameter in mtr. (m)	Static Water Level from Measuring Point in mtr.(level in mbmp)	Measuring Point i.e. MP distance above ground level in mtr. (magl)	Water Level below ground level (level in mbmp - magl = mbgl)
10.	Village- Mursa	Grampanchayat. Dugwell near Z.P. Primary School	DIL 10	08-08-2021	7.0	5.27	4.4	0.87
11.	Village- Wadha	Intake Well	DIL 11	08-08-2021	11.0	9.00	0.50	8.50
12.	MIDC,Tadali	Near Recovery Pump House-II, PZ-1	DIL 12	08-08-2021	0.12	3.83	0.30	3.53
13.	MIDC,Tadali	Near Recovery Pump House-II, PZ-2	DIL 13	08-08-2021	0.12	2.34	0.30	2.04
14.	MIDC,Tadali	Ash Pond II, PZ-3	DIL 14	08-08-2021	0.12	7.06	0.70	6.36
15.	MIDC,Tadali	Near Railway Crossing of WB-2, PZ-4	DIL 15	08-08-2021	0.12	3.74	0.80	2.94
16.	MIDC,Tadali	Near ETP Security Post, PZ-5	DIL 16	08-08-2021	0.12	3.78	0.90	2.88
17.	MIDC,Tadali	Near AAQMS Cabin- 3, PZ-6	DIL 17	08-08-2021	0.12	4.05	0.90	3.15
18.	MIDC,Sakharwahi	Dugwell Water from Shri Ravindra Bhagwat Farm	DIL 18	08-08-2021	3.6	6.02	0.70	5.32

Note: All the above Ground Water Level Analysis were done by MOEF Approved 3rd party M/s Vardan EnviroLab

Sr. No.	Parameters	Acceptable / Permissible Limit (IS 10500: 2012)	Concentration		
			Location		
			Dugwell Water, Village- Pandharkawda)	Borewell Water, Village- Sonegaon)	Dugwell Water, Village- Yerur)
			18-05-2021	18-05-2021	18-05-2021
1.	Colour, Hazen units	5/15	1	1	1
2.	Odour	Agreeable	Agreeable	Agreeable	Agreeable
3.	pH value	6.5 to 8.5	7.61	7.51	7.08
4.	Taste	Agreeable	Agreeable	Agreeable	Agreeable
5.	Turbidity, NTU	1/5	*BDL(**DL 1 NTU)	*BDL(**DL 1 NTU)	*BDL(**DL 1 NTU)
6.	Total dissolved solids, mg/l	500/2000	652	665	684
7.	Boron (as B) mg/l	0.5/1.0	*BDL(**DL 0.2 mg/l)	*BDL(**DL 0.2 mg/l)	*BDL(**DL 0.2 mg/l)
8.	Calcium (as Ca) ,mg/l	75/200	65.21	74.27	52.54
9.	Chloride (as Cl), mg/l	250/1000	133.19	59.64	31.80
10.	Copper (as Cu), mg/l	0.05/1.5	*BDL(**DL 0.02 mg/l)	*BDL(**DL 0.02 mg/l)	*BDL(**DL 0.02 mg/l)
11.	Fluoride (as F), mg/l	1.0/1.5	1.18	0.52	0.95
12.	Free Residual Chlorine, mg/l	0.2/1.0	*BDL(**DL 0.2 mg/l)	*BDL(**DL 0.2 mg/l)	*BDL(**DL 0.2 mg/l)
13	Iron (as Fe), mg/l	1.0	*BDL(**DL 0.2 mg/l mg/l)	*BDL(**DL 0.2 mg/l mg/l)	*BDL(**DL 0.2 mg/l mg/l)
14	Magnesium (as Mg), mg/l	30/100	25.26	21.96	14.28
15	Manganese (as Mn), mg/l	0.1/0.3	BDL(**DL 0.05 mg/l mg/l)	BDL(**DL 0.05 mg/l mg/l)	BDL(**DL 0.05 mg/l mg/l)

16	Nitrate (as NO ₃), mg/l	45	1.61	1.97	BDL(**DL 0.5 mg/l mg/l)
17	Sulphate (as SO ₄), mg/l	200/400	81.85	73.38	57.26
18	Total Alkalinity (as CaCO ₃)mg/l	200/600	178.48	240.56	197.2
19	Total Hardness(as CaCO ₃) mg/l	300/600	266.68	275.72	189.84
20	Zinc (as Zn) mg/l	5/15	BDL(**DL 0.2 mg/l mg/l)	BDL(**DL 0.2 mg/l mg/l)	BDL(**DL 0.2 mg/l mg/l)
21	Lead (as Pb) mg/l	0.01	*BDL(**DL 0.005 mg/l mg/l)	*BDL(**DL 0.005 mg/l mg/l)	*BDL(**DL 0.005 mg/l mg/l)
22	Mercury (as Hg) mg/l	0.001	BDL(**DL 0.0005 mg/l mg/l)	BDL(**DL 0.0005 mg/l mg/l)	BDL(**DL 0.0005 mg/l mg/l)
23	Total Arsenic (as As) mg/l	0.01/0.05	BDL(**DL 0.005 mg/l mg/l)	BDL(**DL 0.005 mg/l mg/l)	BDL(**DL 0.005 mg/l mg/l)
24	Total Chromium (as Cr) mg/l	0.05	BDL(**DL 0.02 mg/l mg/l)	BDL(**DL 0.02 mg/l mg/l)	BDL(**DL 0.02 mg/l mg/l)
Note: 1) All the above Ground Water Quality Analysis were done by MOEF Approved 3rd party M/s Vardan EnviroLab 2) Information given to local panchayat through DIL CSR team for the necessary treatment & assistance.					

Sr. No.	Parameters	Acceptable / Permissible Limit (IS 10500: 2012)	Concentration			
			Location			
			Borewell Water, Village- Wandhri	Dugwell Water, Village- Morwa)	Dugwell Water, Village – Ghodpeth)	Dugwell Water, Village – Tadali)
			18-05-2021	18-05-2021	18-05-2021	18-05-2021
1.	Colour, Hazen units	5/15	1	1	1	2
2.	Odour	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3.	pH value	6.5 to 8.5	7.46	7.36	7.48	7.65
4.	Taste	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
5.	Turbidity, NTU	1/5	*BDL(**DL 1 NTU)	*BDL(**DL 1 NTU)	*BDL(**DL 1 NTU)	*BDL(**DL 1 NTU)
6.	Total dissolved solids, mg/l	500/2000	690	540	496	745
7.	Boron (as B) mg/l	0.5/1.0	*BDL(**DL 0.2 mg/l)	*BDL(**DL 0.2 mg/l)	*BDL(**DL 0.2 mg/l)	*BDL(**DL 0.2 mg/l)
8.	Calcium (as Ca) ,mg/l	75/200	76.08	68.84	57.97	92.39
9.	Chloride (as Cl), mg/l	250/1000	87.47	56.7	37.77	77.53
10.	Copper (as Cu), mg/l	0.05/1.5	*BDL(**DL 0.02 mg/l)	*BDL(**DL 0.02 mg/l)	*BDL(**DL 0.02 mg/l)	*BDL(**DL 0.02 mg/l)
11.	Fluoride (as F), mg/l	1.0/1.5	1.22	0.62	0.72	0.67
12.	Free Residual Chlorine, mg/l	0.2/1.0	BDL(**DL 0.2 mg/l)	BDL(**DL 0.2 mg/l)	BDL(**DL 0.2 mg/l)	BDL(**DL 0.2 mg/l)
13	Iron (as Fe), mg/l	1.0	BDL(**DL 0.2 mg/l)	BDL(**DL 0.2 mg/l)	BDL(**DL 0.2 mg/l)	BDL(**DL 0.2 mg/l)
14	Magnesium (as Mg), mg/l	30/100	18.67	20.86	16.47	15.37

Sr. No.	Parameters	Acceptable / Permissible Limit (IS 10500: 2012)	Concentration			
			Location			
			Ground Water from Intake Well near Wadha Village	Near AAQMS Cabin-3, PZ-6	Near Recovery Pump House-I,(Ash Bund) PZ-1	Near Recovery Pump House-II,(Ash Bund) PZ-2
			18-05-2021	18-05-2021	18-05-2021	18-05-2021
1.	Colour, Hazen units	5/15	2	2	3	3
2.	Odour	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3.	pH value	6.5 to 8.5	7.26	7.69	7.62	7.68
4.	Taste	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
5.	Turbidity, NTU	1/5	*BDL(**DL 1 NTU)	1	*BDL(**DL 1 NTU)	3
6.	Total dissolved solids, mg/l	500/2000	294	425	335	364
7.	Boron (as B) mg/l	0.5/1.0	*BDL(**DL 0.2 mg/l)	*BDL(**DL 0.2 mg/l)	*BDL(**DL 0.2 mg/l)	*BDL(**DL 0.2 mg/l)
8.	Calcium (as Ca), mg/l	75/200	36.23	36.23	39.85	48.91
9.	Chloride (as Cl), mg/l	250/1000	35.78	29.82	35.78	41.74
10.	Copper (as Cu), mg/l	0.05/1.5	*BDL(**DL 0.02 mg/l)	*BDL(**DL 0.02 mg/l)	*BDL(**DL 0.02 mg/l)	*BDL(**DL 0.02 mg/l)
11.	Fluoride (as F), mg/l	1.0/1.5	*BDL(**DL 0.2 m/l)	0.37	0.37	0.2
12.	Free Residual Chlorine, mg/l	0.2/1.0	BDL(**DL 0.2 mg/l)	BDL(**DL 0.2 mg/l)	BDL(**DL 0.2 mg/l)	BDL(**DL 0.2 mg/l)
13	Iron (as Fe), mg/l	1.0	BDL(**DL 0.2 mg/l)	BDL(**DL 0.2 mg/l)	BDL(**DL 0.2 mg/l)	BDL(**DL 0.2 mg/l)
14	Magnesium (as Mg), mg/l	30/100	13.18	21.96	16.47	15.37

Sr. No.	Parameters	Acceptable / Permissible Limit (IS 10500: 2012)	Concentration			
			Location			
			Ash Pond II, PZ-3	Near Railway Crossing of WB-2, PZ-4	Near ETP Security Post, PZ-5	Dugwell Water, Village-Sakharwahi
			18-05-2021	18-05-2021	18-05-2021	18-05-2021
1.	Colour, Hazen units	5/15	2	3	1	1
2.	Odour	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
3.	pH value	6.5 to 8.5	7.85	7.76	7.51	7.53
4.	Taste	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
5.	Turbidity, NTU	1/5	2	3	1	*BDL(**DL 1 NTU)
6.	Total dissolved solids, mg/l	500/2000	350	416	445	487
7.	Boron (as B) mg/l	0.5/1.0	*BDL(**DL 0.2 mg/l)	*BDL(**DL 0.2 mg/l)	*BDL(**DL 0.2 mg/l)	*BDL(**DL 0.2 mg/l)
8.	Calcium (as Ca), mg/l	75/200	34.42	41.66	56.16	41.66
9.	Chloride (as Cl), mg/l	250/1000	23.85	45.72	43.73	35.78
10.	Copper (as Cu), mg/l	0.05/1.5	*BDL(**DL 0.02 mg/l)	*BDL(**DL 0.02 mg/l)	*BDL(**DL 0.02 mg/l)	*BDL(**DL 0.02 mg/l)
11.	Fluoride (as F), mg/l	1.0/1.5	0.2	0.42	0.51	0.7
12.	Free Residual Chlorine, mg/l	0.2/1.0	BDL(**DL 0.2 mg/l)	BDL(**DL 0.2 mg/l)	BDL(**DL 0.2 mg/l)	BDL(**DL 0.2 mg/l)
13	Iron (as Fe), mg/l	1.0	BDL(**DL 0.2 mg/l)	BDL(**DL 0.2 mg/l)	BDL(**DL 0.2 mg/l)	BDL(**DL 0.2 mg/l)
14	Magnesium (as Mg), mg/l	30/100	17.57	24.16	19.77	15.37
15	Manganese (as Mn), mg/l	0.1/0.3	BDL(**DL 0.05 mg/l)	BDL(**DL 0.05 mg/l)	BDL(**DL 0.05 mg/l)	BDL(**DL 0.05 mg/l)

Sr. No.	Parameters	Acceptable / Permissible Limit (IS 10500: 2012)	Concentration		
			Location		
			Dugwell Water (Village- Pandharkawda)	Borewell Water (Village- Sonegaon)	Dugwell Water (Village- Yerur)
			08-08-2021	08-08-2021	08-08-2021
1.	pH	6.5 to 8.5	7.23	7.62	7.25
2.	Total Dissolved Solids	500/2000	678.0	608.0	612.0
3.	Total Alkalinity (as CaCO3)	200/600	203.0	172.55	162.4
4.	Total Hardness (as CaCO3)	200/600	283.24	178.48	133.86
5.	Nitrate (as NO3)	45	1.43	1.28	*BDL(**DL 1.0 mg/l)
6.	Chloride (as Cl)	250/1000	148.61	38.08	34.15
7.	Sulphate (as SO4)	200/400	88.07	62.26	52.06
8.	Calcium (as Ca)	75/200	72.31	45.10	43.54
9.	Magnesium (as Mg)	30/100	25.0	16.03	6.13
10.	Fluorides (as F)	1.0/1.5	1.13	0.51	0.90
11.	Total Iron (as Fe)	1.0	*BDL(**DL 0.01 mg/l)	*BDL(**DL 0.01 mg/l)	*BDL(**DL 0.01 mg/l)
12.	Arsenic (as As)	0.05	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)
13.	Mercury (as Hg)	0.001	*BDL(**DL 0.0005 mg/l)	*BDL(**DL 0.0005 mg/l)	*BDL(**DL 0.0005 mg/l)
14.	Lead (as Pb)	0.01	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)
15.	Chromium (as Cr)	0.05	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)

16	Copper (as Cu)	0.05/1.5	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)
17	Zinc (as Zn)	5.0/15	*BDL(**DL 0.01 mg/l)	*BDL(**DL 0.01 mg/l)	*BDL(**DL 0.01 mg/l)
18	Turbidity	1/5	*BDL(**DL 1 NTU)	*BDL(**DL 1 NTU)	*BDL(**DL 1 NTU)
19	Manganese (as Mn)	0.1/0.3	*BDL(**DL 0.01 mg/l)	*BDL(**DL 0.01 mg/l)	*BDL(**DL 0.01 mg/l)
20	Boron (as B)	0.5/1.0	*BDL(**DL 0.01 mg/l)	*BDL(**DL 0.01 mg/l)	*BDL(**DL 0.01 mg/l)
21	Colour	5/15	*BDL(**DL 1 Hazen)	*BDL(**DL 1 Hazen)	*BDL(**DL 1 Hazen)
22	Odour	Agreeable	Agreeable	Agreeable	Agreeable
23	Taste	Agreeable	Agreeable	Agreeable	Agreeable
24	Free Residual Chlorine	0.2/1.0	*BDL(**DL 0.15 mg/l)	*BDL(**DL 0.15 mg/l)	*BDL(**DL 0.15 mg/l)
<p>Note: 1) All the above Ground Water Quality Analysis were done by MOEF Approved 3rd party M/s Vardan Envirolab.</p> <p>2) Information given to local panchayat through DIL CSR team for the necessary treatment & assistance.</p>					

Sr. No.	Parameters	Acceptable / Permissible Limit (IS 10500: 2012)	Concentration			
			Location			
			Borewell Water, Village- Wandhri	Dugwell Water, Village- Morwa)	Dugwell Water, Village – Ghodpeth)	Dugwell Water, Village – Tadali)
			08-08-2021	08-08-2021	08-08-2021	08-08-2021
1.	pH	6.5 to 8.5	7.12	7.49	7.66	7.78
2.	Total Dissolved Solids	500/2000	729.0	580.0	523.0	734.0
3.	Total Alkalinity (as CaCO ₃)	200/600	225.33	186.76	198.34	186.76
4.	Total Hardness (as CaCO ₃)	200/600	283.24	267.72	252.20	258.02
5.	Nitrate (as NO ₃)	45	*BDL(**DL 1.0 mg/l)	*BDL(**DL 1.0 mg/l)	*BDL(**DL 1.0 mg/l)	1.28
6.	Chloride (as Cl)	250/1000	98.45	72.32	26.93	91.02
7.	Sulphate (as SO ₄)	200/400	89.05	80.38	58.02	68.17
8.	Calcium (as Ca)	75/200	84.75	74.64	69.2	85.53
9.	Magnesium (as Mg)	30/100	17.44	19.80	19.33	10.84
10.	Fluorides (as F)	1.0/1.5	1.18	0.64	0.70	0.65
11.	Total Iron (as Fe)	1.0	*BDL(**DL 0.01 mg/l)	*BDL(**DL 0.01 mg/l)	*BDL(**DL 0.01 mg/l)	*BDL(**DL 0.01 mg/l)
12.	Arsenic (as As)	0.05	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)
13.	Mercury (as Hg)	0.001	*BDL(**DL 0.0005 mg/l)	*BDL(**DL 0.0005 mg/l)	*BDL(**DL 0.0005 mg/l)	*BDL(**DL 0.0005 mg/l)
14.	Lead (as Pb)	0.01	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)
15.	Chromium (as Cr)	0.05	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)

Sr. No.	Parameters	Acceptable / Permissible Limit (IS 10500: 2012)	Concentration			
			Location			
			Ground Water from Intake Well near Wadha Village	Near AAQMS Cabin-3, PZ-6	Near Recovery Pump House-I,(Ash Bund) PZ-1	Near Recovery Pump House-II,(Ash Bund) PZ-2
			08-08-2021	08-08-2021	08-08-2021	08-08-2021
1.	pH	6.5 to 8.5	7.58	7.49	7.14	7.64
2.	Total Dissolved Solids	500/2000	270.0	410.0	363.0	382.0
3.	Total Alkalinity (as CaCO ₃)	200/600	106.8	117.74	140.07	160.07
4.	Total Hardness (as CaCO ₃)	200/600	112.52	153.26	192.06	207.58
5.	Nitrate (as NO ₃)	45	*BDL(**DL 1.0 mg/l)	1.06	*BDL(**DL 1.0 mg/l)	*BDL(**DL 1.0 mg/l)
6.	Chloride (as Cl)	250/1000	28.79	23.22	30.65	48.30
7.	Sulphate (as SO ₄)	200/400	30.05	55.07	56.05	57.04
8.	Calcium (as Ca)	75/200	33.43	31.10	41.21	54.43
9.	Magnesium (as Mg)	30/100	7.07	18.39	21.69	17.44
10.	Fluorides (as F)	1.0/1.5	28.79	0.35	0.38	0.21
11.	Total Iron (as Fe)	1.0	*BDL(**DL 0.01 mg/l)	*BDL(**DL 0.01 mg/l)	*BDL(**DL 0.01 mg/l)	*BDL(**DL 0.01 mg/l)
12.	Arsenic (as As)	0.05	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)
13.	Mercury (as Hg)	0.001	*BDL(**DL 0.0005 mg/l)	*BDL(**DL 0.0005 mg/l)	*BDL(**DL 0.0005 mg/l)	*BDL(**DL 0.0005 mg/l)
14.	Lead (as Pb)	0.01	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)
15.	Chromium (as Cr)	0.05	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)

Sr. No.	Parameters	Acceptable / Permissible Limit (IS 10500: 2012)	Concentration			
			Location			
			Ash Pond II, PZ-3	Near Railway Crossing of WB-2, PZ-4	Near ETP Security Post, PZ-5	Dugwell Water, Village-Sakharwahi
			08-08-2021	08-08-2021	08-08-2021	08-08-2021
1.	pH	6.5 to 8.5	7.24	7.68	7.15	7.82
2.	Total Dissolved Solids	500/2000	372.0	438	424.0	494.0
3.	Total Alkalinity (as CaCO ₃)	200/600	138.04	170.52	158.87	150.22
4.	Total Hardness (as CaCO ₃)	200/600	158.2	223.10	203.88	184.30
5.	Nitrate (as NO ₃)	45	*BDL(**DL 1.0 mg/l)	1.51	*BDL(**DL 1.0 mg/l)	1.13
6.	Chloride (as Cl)	250/1000	30.65	49.23	46.43	42.72
7.	Sulphate (as SO ₄)	200/400	58.12	60.58	69.11	35.27
8.	Calcium (as Ca)	75/200	45.10	44.32	69.66	45.1
9.	Magnesium (as Mg)	30/100	17.44	27.34	7.31	17.44
10.	Fluorides (as F)	1.0/1.5	0.20	0.40	0.46	0.68
11.	Total Iron (as Fe)	1.0	*BDL(**DL 0.01 mg/l)	*BDL(**DL 0.01 mg/l)	*BDL(**DL 0.01 mg/l)	*BDL(**DL 0.01 mg/l)
12.	Arsenic (as As)	0.05	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)
13.	Mercury (as Hg)	0.001	*BDL(**DL 0.0005 mg/l)	*BDL(**DL 0.0005 mg/l)	*BDL(**DL 0.0005 mg/l)	*BDL(**DL 0.0005 mg/l)
14.	Lead (as Pb)	0.01	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)
15.	Chromium (as Cr)	0.05	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)	*BDL(**DL 0.002 mg/l)

Annexure - 2

STACK EMISSION QUALITY STATUS APRIL-2021 TO SEPTEMBER-2021

Sr. No.	Parameters	Concentration											
		April -2021		May -2021		June -2021		July -2021		August -2021		Sept -2021	
		TPP Unit I	TPP Unit II	TPP Unit I	TPP Unit II	TPP Unit I	TPP Unit II	TPP Unit I	TPP Unit II	TPP Unit I	TPP Unit II	TPP Unit I	TPP Unit II
1.	Total Particulate Matter, mg/Nm ³	23.6	24.1	24.8	23.7	26.2	25.9	25.4	26.8	27.8	28.9	26.1	27.6
2.	Sulphur Dioxide as SO ₂ , mg/ Nm ³	987.6	1060.5	1016.5	1076.2	1036.8	1096.5	1059.6	1134.6	1080.0	1136.0	1038.0	1074.0
3.	Sulphur Dioxide as SO ₂ , Kg/Hr	1765.3	1925.6	1813.3	1916.0	1845.9	1967.7	1894.0	2020.0	1938.1	2014.49	1848.0	1958.4
4.	Oxides of Nitrogen as NO ₂ ,mg/Nm ³	330.5	309.8	339.7	324.5	352.4	346.3	406.2	419.6	410.2	422.0	436.2	448.0
5.	Oxides of Nitrogen as NO ₂ , ppm	175.6	164.6	180.5	172.5	187.3	184.0	215.9	223.0	218.0	224.3	231.8	238.1
6.	Mercury as Hg, mg/Nm ³	0.002	0.003	0.003	0.004	0.003	0.004	0.004	0.005	0.005	0.004	0.004	0.005

Note: All the above Stack monitoring & Analysis were done by MOEF Approved 3rd party M/s Vardan Enviro Lab

STACK EMISSION QUALITY STATUS – APRIL-2021 TO SEPTEMBER-2021

Sr. No	Parameters	April – 2021				September-2021			
		D.G. Set No.1 1500 KVA (Left Bank)	D.G. Set No.2 1500 KVA (Left Bank)	D.G. Set No.1 1500 KVA (Right Bank)	D.G. Set No.2 1500 KVA (Right Bank)	D.G. Set No.1 1500 KVA (Left Bank)	D.G. Set No.2 1500 KVA (Left Bank)	D.G. Set No.1 1500 KVA (Right Bank)	D.G. Set No.2 1500 KVA (Right Bank)
1.	Total Particulate Matter, mg/Nm ³	23.6	26.5	27.9	28.7	25.4	26.4	23.8	25.7
2.	Sulphur Dioxide as SO ₂ , mg/ Nm ³	35.2	39.8	40.2	38.4	37.5	41.8	43.2	38.4
3.	Sulphur Dioxide as SO ₂ , Kg/Hr	0.14	0.12	0.11	0.12	0.16	0.17	0.18	0.16
4.	Oxides of Nitrogen as NO ₂ ,mg/Nm ³	110.7	120.6	117.2	120.2	119.2	128.9	132.4	122.8
5.	Oxides of Nitrogen as NO ₂ , ppm	62.5	62.2	61.7	62.7	63.3	88.5	70.4	65.3

Note: All the above Stack monitoring & Analysis were done by MOEF Approved 3rd party M/s Vardan Enviro Lab

Annexure-3

DHARIWAL INFRASTRUCTURE LIMITED

Monthly Ash Generation and Utilization (For the Period from 1st April 2021 to 30th September 2021)

ASH GENERATION AND UTILIZATION (in MT)

Sl. No.	Month	Ash Generation	Ash Utilization	Ash based/ Bricks/ Blocks/ Tiles etc.	In manufacture of Cement	In construction of Highways & Roads including Flyovers	In Ash dyke raising	In reclamation of low lying Area	In Mine filling	Unutilized Ash	Ash Utilization %
1	Apr-21	87148	87148	1180	78071	327	0	0	7570	0	100
2	May-21	82388	82388	101	73805	235	0	0	8247	0	100
3	Jun-21	81577	81577	0	73135	211	0	8231	0	0	100
4	Jul-21	79428	79428	1959	71437	32	0	6000	0	0	100
5	Aug-21	68337	64877	2875	61462	0	0	540	0	3460	95
6	Sep-21	83345	74177	1060	72965	152	0	0	0	9168	89
Total		482223	469595	7175	430875	957	0	14771	15817	12628	97

Annexure – 4

EFFLUENT QUALITY STATUS

EFFLUENT QUALITY MONITORING REPORT – APRIL-2021 TO SEPTEMBER-2021									
Sr. No.	Parameter	NORMS	ETP Outlet	APR-21	MAY-21	JUNE-21	JULY-21	AUG-21	SEPT-21
1.	pH	6.5 to 8.5		7.45	7.53	7.59	7.65	7.78	7.63
2.	Total Suspended Solid	100 mg/l		18.0	21.0	17.0	13.0	10.0	11.5
3.	Oil & Grease	10 mg/l		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
4.	Biochemical Oxygen Demand (3 days/27°C)	30 mg/l		20.0	16.0	17.0	16.0	12.0	19.0
5.	Chemical Oxygen demand	250 mg/l		102.0	124.0	115.0	96.0	69.7	90.2
6.	Total Dissolved Solid	2100 mg/l		1320.0	1356.0	1370.0	1324.0	1408.0	1429.0

Note:The Effluent Quality monitoring done MOEF approved 3rd party M/s Vardan EnviroLab

EFFLUENT QUALITY MONITORING REPORT – APRIL-2021 TO SEPTEMBER-2021

Sl. No.	Parameter	Norms	Condenser cooling Water	APR-21		MAY-21		JUNE-21		JULY-21		AUG-21		SEPT-21	
				unit – I	unit - II	unit - I	unit - II	unit - I	unit - II	unit - I	unit – II	unit - I	unit - II	unit - I	unit - II
1	PH	5.5 - 9.0		7.82	8.22	7.87	8.09	7.94	7.91	7.90	7.84	7.80	7.73	7.77	7.65
2	Temp.	<5°C higher than Intake water		2.0	2.0	1.9	1.8	1.7	1.6	1.5	1.3	1.8	1.8	1.7	1.7
3	Free Available Chlorine	0.5 mg/l		0.24	0.21	0.26	0.24	0.25	0.28	0.26	0.23	0.24	0.20	0.22	0.23
Note:	Effluent Quality monitoring done by MoEF approved 3rd party M/s Vardan EnviroLab														

EFFLUENT QUALITY MONITORING REPORT – APRIL-2021 TO SEPTEMBER-2021

Sl.No.	Parameter	Norms	Boiler Blow Down	APR-21		MAY-21		JUNE-21		JULY-21		AUG-21		SEPT-21	
				unit - I	unit - II	unit - I	unit - II	unit - I	unit - II	unit - I	unit - II	unit - I	unit - II	unit - I	unit - II
1	Total Suspended solid	100 mg/l		8.0	12.0	10.0	15.0	15.8	17.2	19.3	16.6	17.8	15.4	14.4	16.1
2	Oil & Grease	10 mg/l		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
3	Copper(Total)	1 mg/l		0.07	0.05	0.05	0.06	0.04	0.05	0.06	0.04	0.07	0.05	0.07	0.04
4	Iron(Total),mg/l	1 mg/l		0.20	0.24	0.22	0.27	0.19	0.25	0.23	0.21	0.24	0.23	0.19	0.21
Note:	The Effluent Quality monitoring done by MoEF approved M/s Vardan EnviroLab														

EFFLUENT QUALITY MONITORING REPORT – APRIL-2021 TO SEPTEMBER-2021

Sl.No.	Parameter	Norms	Cooling tower blow down	APR-21		MAY-21		JUNE-21		JULY-21		AUG-21		SEPT-21	
				unit - I	unit - II	unit - I	unit - II	unit - I	unit - II	unit - I	unit - II	unit - I	unit - II	unit - I	unit - II
1	Free Available chlorine	0.5 mg/l		0.27	0.20	0.20	0.25	0.24	0.21	0.22	0.23	0.24	0.20	0.23	0.18
2	Zinc	1 mg/l		0.24	0.32	0.25	0.36	0.28	0.38	0.25	0.36	0.27	0.33	0.25	0.40
3	Chromium (Total)	0.2 mg/l		0.18	0.15	0.15	0.12	0.12	0.14	0.10	0.15	0.12	0.17	0.14	0.18
4	Phosphate	5 mg/l		2.91	2.86	2.45	2.60	2.10	2.42	2.34	2.58	2.08	2.17	1.91	2.14
Note:	The Effluent Quality Monitoring done by MoEF approved 3rd Party M/s Vardan EnviroLab														

EFFLUENT QUALITY MONITORING REPORT – APRIL-2021 TO SEPTEMBER-2021

[illegible]

EFFLUENT QUALITY MONITORING REPORT – APRIL-2021 TO SEPTEMBER-2021

[illegible]

Annexure-5



भारत सरकार

Government of India

वाणिज्य और उद्योग मंत्रालय

Ministry of Commerce & Industry

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पैसो)

Petroleum & Explosives Safety Organisation (PESO)

प्लॉट संख्या 36-37, वार्ड संख्या 38, राठी लेआउट, राष्ट्रभाषा मार्ग, वर्धा

वर्धा- 442001

Plot no. 36-37, Ward no. 38, Rathi Layout, Rashtrabhasha Road, Wardha-(Maharashtra),
Wardha - 442001

Regd/AD

E-mail : dyccewardha@explosives.gov.in

Phone/Fax No : 7152230370

संख्या /No. : P/HQ/MH/15/6129 (P294572)

दिनांक /Dated : 15/01/2018

सेवा में /To,

M/s. Dhariwal Infrastructure Ltd.,
C-6 Tadali, MIDC Growth Centre,,
NA,
Tadali,
Chandrapur,
Taluka: Nagbhir,
District: CHANDRAPUR,
State: Maharashtra
PIN: 442406

विषय /Sub: Plot No, Plot No.C-6,, M.I.D.C.Tadali,, Village-MIDC Tadali,, Taluka: Chandrapur, District: CHANDRAPUR, State: Maharashtra, PIN: 442406
में स्थित विद्यमान पेट्रोलियम वर्ग C अधिष्ठापन में अनुज्ञप्ति सं P/HQ/MH/15/6129 (P294572) के नवीकरण के संदर्भ में ।
Existing Petroleum Class C Installation at Plot No, Plot No.C-6,, M.I.D.C.Tadali,, Village-MIDC Tadali,, Taluka: Chandrapur, District:
CHANDRAPUR, State: Maharashtra, PIN: 442406 - Licence No. P/HQ/MH/15/6129 (P294572) - Renewal regarding

महोदय /Sir
(:).

कृपया आपके पत्र क्रमांक Nil दिनांक 30/11/2017 का अवलोकन करें ।

Please refer to your letter No. : Nil, dated 30/11/2017

अनुज्ञप्ति संख्या P/HQ/MH/15/6129 (P294572) दिनांक 23/01/2013 को दिनांक 31/12/2022 तक नवीनीकृत कर इस पत्र के साथ अग्रहित की जा रही है ।

Licence No. P/HQ/MH/15/6129 (P294572) dated 23/01/2013 is forwarded herewith duly renewed upto 31/12/2022


कृपया पेट्रोलियम नियम 2002 के अधीन बनाए गए नियम 148 में दी गई प्रक्रिया का कड़ाई से पालन करें । अनुज्ञप्ति के नवीकरण हेतु समस्त दस्तावेजों को अनुज्ञप्ति की वैधता समाप्त होने की तिथि से कम से कम 30 दिन पूर्व कार्यालय को प्रेषित करें ।

Please follow the procedure strictly as laid down in rule 148 of the Petroleum Rules, 2002 and submit complete documents for the Renewal of the licence so as to reach this office on or before the date on which Licence expires.

कृपया पावती दें।

Please acknowledge the receipt

भवदीय /Yours faithfully,


(श्रीमती विजया-संजय बारदेव)
(Mrs. Vijaya Sanjay Bardeo)

Dy. Controller of Explosives
कुल विस्फोटक नियंत्रक
For Controller of Explosives
वर्धा/Wardha

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क तथा अन्य विवरण के लिए हमारी वेबसाइट : <http://peso.gov.in> देखें)(For more information regarding status, fees and other details please visit our website : <http://peso.gov.in>)

प्ररूप XV
(प्रथम अनुसूची का अनुच्छेद 6 देखिए)
FORM XV
(see Article 6 of the First Schedule)



अधिष्ठापनों में पेट्रोलियम के आयात और भंडारण के लिए अनुज्ञप्ति
LICENCE TO IMPORT AND STORE PETROLEUM IN AN INSTALLATION

अनुज्ञप्ति सं. (Licence No.): P/HQ/MH/15/6129(P294572)

फीस रूपए (Fee Rs.) 15000/- per year

M/s. Dhariwal Infrastructure Ltd., C-6 Tadali, MIDC Growth Centre,, NA, Tadali, Chandrapur, Taluka: Nagbhir, District: CHANDRAPUR, State: Maharashtra, PIN: 442406 को केवल इसमें यथा विनिर्दिष्ट वर्ग और मात्राओं में पेट्रोलियम 2000.00 KL आयात करने के लिए और उसका नीचे वर्णित और अनुमोदित नक्शा संख्या P/HQ/MH/15/6129(P294572) तारीख 29/10/2014 जो कि इससे उपाबद्ध है, में दिखाए गए स्थान पर भण्डारण के लिए पेट्रोलियम अधिनियम, 1934 के उपबंधों या उसके अधीन बनाए गए नियमों तथा इस अनुज्ञप्ति की अतिरिक्त शर्तों के अधीन रहते हुए, यह अनुज्ञप्ति अनुदत्त की जाती है।

Licence is hereby granted to M/s. Dhariwal Infrastructure Ltd., C-6 Tadali, MIDC Growth Centre,, NA, Tadali, Chandrapur, Taluka: Nagbhir, District: CHANDRAPUR, State: Maharashtra, PIN: 442406 valid only for the importation and storage of 2000.00 KL Petroleum of the class and quantities as herein specified and storage thereof in the place described below and shown on the approved plan No P/HQ/MH/15/6129(P294572) dated 29/10/2014 attached hereto subject to the provisions of the Petroleum Act, 1934 and the rule made thereunder and to the further conditions of this Licence.

यह अनुज्ञप्ति 31st day of December 2022 तक प्रवृत्त रहेगी।
The Licence shall remain in force till the 31st day of December 2022

पेट्रोलियम का विवरण /Description of Petroleum

अनुज्ञप्त मात्रा (किलोलीटरों में) /Quantity licenced in KL

वर्ग क प्रपुंज पेट्रोलियम /Petroleum Class A in bulk	NIL
वर्ग क प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम /Petroleum Class B in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम /Petroleum Class C in bulk	2000.00 KL
वर्ग ग प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class C, otherwise than in bulk	NIL

कुल क्षमता /Total Capacity

2000.00 KL

January 23, 2013

For Chief Controller of Explosives
HQ, Nagpur

अनुज्ञप्त परिसरों का विवरण और अवस्थान

DESCRIPTION AND LOCATION OF THE LICENSED PREMISES

अनुज्ञप्त परिसर जिसकी विन्यास सोमाएं अन्य विशिष्टयां संलग्न अनुमोदित नक्शों में दिखाई गई हैं Plot No: Plot No.C-6,, M.I.D.C.Tadali,, Village-MIDC Tadali,, Taluka: Chandrapur, District: CHANDRAPUR, State: Maharashtra, PIN: 442406 स्थान पर अवस्थित है तथा उसमें निम्नलिखित Two aboveground petroleum class C(FO/LDO) storage tanks togetherwith connected facilities. सम्मिलित हैं।

The licensed premises, the layout, boundaries and other particulars of which are shown in the attached approved plan are situated at Plot No: Plot No.C-6,, M.I.D.C.Tadali,, Village-MIDC Tadali,, Taluka: Chandrapur, District: CHANDRAPUR, State: Maharashtra, PIN: 442406 and consists of Two aboveground petroleum class C(FO/LDO) storage tanks togetherwith connected facilities. together with connected facilities.

अनुज्ञप्ति संख्या-(Licence No.) P/HQ/MH/15/6129 (P294572)

नवीनीकरण के पृष्ठांकन के लिए स्थान
SPACE FOR ENDORSEMENT OF RENEWALS

पेट्रोलियम अधिनियम, १९३४ के उपबन्धों या उनके अधीन बनाए गए नियमों या इस अनुज्ञप्ति की शर्तों का उल्लंघन न होने की दशा में यह अनुज्ञप्ति फ़िस में बिना किसी छूट के दस वर्ष तक नवीकृत की जा सकती है।
 This licence shall be renewable without any concession in fee for ten years in the absence of contravention of any provisions of the Petroleum Act, 1934 or of the rules framed thereunder or of any of the conditions of this licence.

	Date of Renewal	Date of Expiry of license	अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प Signature and office stamp of the licencing authority.
1).	10/01/2014	31/12/2014	Sd/- C.G.Kaiambhe Dy. Chief Controller of Explosives For Controller of Explosives Wardha
2).	13/03/2015	31/12/2015	Sd/- H K Sharma Controller of Explosives Wardha
3).	10/11/2015	31/12/2016	Sd/- H K Sharma Controller of Explosives Wardha
4).	29/12/2016	31/12/2017	Sd/- H K Sharma Controller of Explosives Wardha
5).	15/01/2018	31/12/2022	Mrs. Vijaya Sanjay Bardeo Dy. Controller of Explosives For Controller of Explosives Wardha विस्फोटक निर्वहक, वर्धा Controller of Explosives, Wardha.


यदि अनुज्ञप्ति परिसर इसमें उपाबद्ध विवरण और शर्तों के अनुरूप नहीं पाए जाते हैं और जिन नियमों और शर्तों के अधीन यह अनुज्ञप्ति मंजूर की गई है उनमें से किसी का उल्लंघन होने की दशा में यह अनुज्ञप्ति रद्द की जा सकती है और अनुज्ञप्तिधारी प्रथम अपराध के लिए साधारण कारावास से, जो एक मास तक हो सकता है, या जुर्माने से, जो एक हजार रुपये तक हो सकता है, या दोनों से, और प्रत्येक पश्चातवर्ती अपराध के लिए साधारण कारावास से जो तीन मास तक हो सकता है, या जुर्माने से, जो पांच हजार रुपये तक हो सकता है, या दोनों से, दण्डनीय होगा।

This licence is liable to be cancelled if the licensed premises are not found conforming to the description given on the approved plan attached hereto and contravention of any of the rules and conditions under which this licence is granted and the holder of this licence is also punishable for the first offence with simple imprisonment which may be extend to one month, or with fine which may extend to one thousand rupees, or with both and for every subsequent offence with simple imprisonment which may extend to three months, or with fine which may extend to five thousand rupees or with both.

Annexure-6

Photographs of Plantation inside Plant Premises





Annexure –7(A)

AMBIENT NOISE QUALITY STATUS

Location			AAQMS Cabin-01 (Near VIP Gate)		AAQMS Cabin-02 (Near ETP & RWH Pond)		AAQMS Cabin-03 (Near Old Switch Yard)	
Parameters	Month	Reading	During Day Time	During Night Time	During Day Time	During Night Time	During Day Time	During Night Time
Noise Level in dB (A)	APR-2021	Leq	62.9	58.6	66.1	56.4	64.2	57.9
	MAY-2021	Leq	63.5	57.3	65.6	55.4	64.0	56.2
	JUNE-2021	Leq	64.8	57.6	67.6	58.8	63.5	56.2
	JULY-2021	Leq	68.2	58.3	64.4	54.3	65.8	55.4
	AUG-2021	Leq	68.6	58.1	64.1	53.9	65.8	54.7
	SEP-2021	Leq	66.0	57.7	62.5	51.6	64.1	53.1
Norms		Industrial Area	75	70	75	70	75	70
Note: Noise Quality Monitoring done by MoEF approved 3rd Party M/s Vardan EnviroLab								

Annexure –7(B)

WORK PLACE NOISE QUALITY STATUS

Month			APRIL-2021		JULY-2021	
Parameters	Sr. No.	Location	Norms	Reading	Norms	Reading
Noise Level in dB (A)	1	TG-1-12 Mtr. Unit-1	85	74.8	85	76.3
	2	TG-1-6Mtr. Near MOT Unit -1	85	80.9	85	79.5
	3	BFP Unit-1	85	79.6	85	77.4
	4	TG -2 12Mtr- Unit-2	85	76.8	85	74.8
	5	TG-2 6 Mtr. Near MOT Unit -2	85	76.6	85	75.2
	6	BFP Unit -2	85	76.2	85	77.4
	7	Mill Area Unit -1	85	74.0	85	72.9
	8	Mill Area Unit -2	85	75.1	85	76.1
	9	ID Fan-2 Unit-2	85	75.3	85	73.6

Month			APRIL-2021		JULY -2021	
Parameters	Sr. No.	Location	Norms	Reading	Norms	Reading
Noise Level in dB (A)	18	Wagon Tipper area	85	76.9	85	73.2
	19	Crusher Floor (3 rd Floor)	85	79.8	85	77.3
	20	Screen Floor(4 th Floor)	85	74.7	85	73.9
	21	DSS Pump House	85	54.8	85	58.4
	22	Ash Slurry Pump House	85	77.8	85	75.5
	23	LDO Pump House	85	76.7	85	73.2
	24	CW Pump House	85	80.3	85	78.7
	25	Fire Pump house	85	79.4	85	76.5
Note: Workplace Noise Quality Monitoring done by MoEF approved 3rd Party M/s Vardan EnviroLab						

Annexure – 8

AMBIENT AIR QUALITY STATUS

1.0 Location:- AAQMS Cabin-01 (Near VIP Gate)

Sr. No.	Parameters	Norms	TWA	Concentration					
				APR-21	MAY-21	JUNE-21	JULY-21	AUG-21	SEPT-21
1.	Particulate Matter of size less than 10 µm (PM ₁₀) µg/m ³	60	24 Hrs	28.00	26.35	22.80	33.35	33.80	31.65
2.	Particulate Matter of size less than 2.5 µm (PM _{2.5}) µg/m ³	100	24 Hrs	57.90	56.50	53.60	55.60	57.25	57.55
3.	Nitrogen Dioxide (NO ₂) µg/m ³	80	24 Hrs	19.85	18.40	16.75	17.10	17.50	16.60
4.	Sulphur Dioxide (SO ₂) µg/m ³	80	24 Hrs	9.80	9.35	8.80	8.63	9.13	8.67
5.	Ammonia (NH ₃) (µg/m ³)	400	24 Hrs	5.23	4.88	4.38	4.49	5.07	5.01
6.	Benzene (C ₆ H ₆) (µg/m ³)	5	Annual	2.30	2.07	1.76	1.80	1.78	1.70
7.	Benzo(a) Pyrene (BaP) (ng/m ³)	1	Annual	0.63	0.58	0.55	0.55	0.57	0.51
8.	Ozone (O ₃) (µg/m ³)	100	24 Hrs	4.76	4.29	4.33	4.61	5.28	5.78
9.	Nickel (Ni) (ng/m ³)	20	Annual	4.14	3.86	4.77	5.10	5.80	5.26
10.	Lead (Pb) (µg/m ³)	1	24 Hrs	0.07	0.06	0.05	0.06	0.07	0.06
11.	Arsenic (As) (ng/m ³)	6	Annual	1.60	1.43	1.40	1.31	1.76	1.67
12.	Carbon Monoxide (CO) (mg/m ³)	2	8 Hrs	0.23	0.23	0.25	0.25	0.29	0.31

Note: All the above Ambient Air Quality Analysis were done by MOEF Approved 3rd party M/s Vardan EnviroLab

2.0 Location: - AAQMS Cabin-02 (Near ETP and RWH pond)

Sr. No.	Parameters	Norms	TWA	Concentration					
				APR-21	MAY-21	JUNE-21	JULY-21	AUG-21	SEPT-21
1.	Particulate Matter of size less than 10 µm (PM ₁₀) µg/m ³	60	24 Hrs	24.25	23.65	20.00	21.40	22.35	23.35
2.	Particulate Matter of size less than 2.5 µm (PM _{2.5})µg/m ³	100	24 Hrs	53.05	51.95	48.45	50.40	52.20	53.50
3.	Nitrogen Dioxide (NO ₂) µg/m ³	80	24 Hrs	19.20	18.00	15.00	15.50	15.80	15.95
4.	Sulphur Dioxide (SO ₂) µg/m ³	80	24 Hrs	9.20	8.80	7.40	7.90	8.30	8.30
5.	Ammonia (NH ₃) (µg/m ³)	400	24 Hrs	3.03	2.88	2.85	2.36	2.98	3.50
6.	Benzene (C ₆ H ₆) (µg/m ³)	5	Annual	1.55	1.37	1.15	1.19	1.42	1.42
7.	Benzo(a) Pyrene (BaP) (ng/m ³)	1	Annual	0.58	0.54	0.53	0.56	0.58	0.54
8.	Ozone (O ₃) (µg/m ³)	100	24 Hrs	3.36	3.31	4.20	4.60	4.94	4.96
9.	Nickel (Ni) (ng/m ³)	20	Annual	3.33	2.97	2.76	2.45	BDL	BDL
10.	Lead (Pb) (µg/m ³)	1	24 Hrs	0.04	0.05	0.04	0.04	0.05	0.05
11.	Arsenic (As) (ng/m ³)	6	Annual	1.44	1.32	1.26	1.40	1.46	1.78
12.	Carbon Monoxide (CO) (mg/m ³)	2	8 Hrs	0.22	0.22	0.25	0.26	0.29	0.30

Note: All the above Ambient Air Quality Analysis were done by MOEF Approved 3rd party M/s Vardan EnviroLab

3.0 Location: - AAQMS Cabin-03 (Near Old Switchyard)

Sr. No.	Parameters	Norms	TWA	Concentration					
				APR-21	MAY-21	JUNE-21	JULY-21	AUG-21	SEPT-21
1.	Particulate Matter of size less than 10 µm (PM ₁₀) µg/m ³	60	24 Hrs	27.50	24.85	23.05	25.85	26.40	25.95
2.	Particulate Matter of size less than 2.5 µm (PM _{2.5}) µg/m ³	100	24 Hrs	62.55	61.00	54.80	58.40	59.95	59.45
3.	Nitrogen Dioxide (NO ₂) µg/m ³	80	24 Hrs	20.30	18.95	17.00	18.10	18.15	17.45
4.	Sulphur Dioxide (SO ₂) µg/m ³	80	24 Hrs	9.50	8.95	8.50	9.25	9.70	9.35
5.	Ammonia (NH ₃) (µg/m ³)	400	24 Hrs	5.94	5.96	5.33	5.49	6.40	7.04
6.	Benzene (C ₆ H ₆) (µg/m ³)	5	Annual	2.41	2.20	2.06	1.84	1.63	1.65
7.	Benzo(a) Pyrene (BaP) (ng/m ³)	1	Annual	0.56	0.49	0.55	0.52	0.56	BDL
8.	Ozone (O ₃) (µg/m ³)	100	24 Hrs	6.83	6.35	6.00	6.03	6.24	6.16
9.	Nickel (Ni) (ng/m ³)	20	Annual	3.71	3.55	3.54	5.07	5.45	5.38
10.	Lead (Pb) (µg/m ³)	1	24 Hrs	0.07	0.07	0.05	0.05	0.05	0.05
11.	Arsenic (As) (ng/m ³)	6	Annual	1.82	1.89	1.75	1.62	1.86	1.72
12.	Carbon Monoxide (CO) (mg/m ³)	2	8 Hrs	0.23	0.23	0.23	0.27	0.33	0.35

Note: All the above Ambient Air Quality Analysis were done by MOEF Approved 3rd party M/s Vardan EnviroLab

Sr. No.	Parameters	Norms	TWA	Concentration					
				APR-21	MAY-21	JUNE-21	JULY-21	AUG-21	SEPT-21
1.	Particulate Matter of size less than 10 µm (PM ₁₀) µg/m ³	60	24 Hrs	21.25	20.55	19.55	23.10	23.20	24.70
2.	Particulate Matter of size less than 2.5 µm (PM _{2.5}) µg/m ³	100	24 Hrs	45.25	45.55	45.70	47.90	48.15	49.35
3.	Nitrogen Dioxide (NO ₂) µg/m ³	80	24 Hrs	16.65	17.20	15.50	16.40	15.75	14.95
4.	Sulphur Dioxide (SO ₂) µg/m ³	80	24 Hrs	7.78	7.72	7.18	7.51	7.40	7.40
5.	Ammonia (NH ₃) (µg/m ³)	400	24 Hrs	1.97	1.78	2.26	2.40	2.62	2.88
6.	Benzene (C ₆ H ₆) (µg/m ³)	5	Annual	1.31	1.15	1.03	1.20	1.32	1.23
7.	Benzo(a) Pyrene (BaP) (ng/m ³)	1	Annual	0.28	0.28	BDL	BDL	BDL	BDL
8.	Ozone (O ₃) (µg/m ³)	100	24 Hrs	3.08	2.88	2.88	3.08	3.70	4.35
9.	Nickel (Ni) (ng/m ³)	20	Annual	2.12	2.28	2.26	2.44	BDL	BDL
10.	Lead (Pb) (µg/m ³)	1	24 Hrs	0.03	0.05	0.04	0.06	0.06	0.06
11.	Arsenic (As) (ng/m ³)	6	Annual	1.21	1.15	1.25	1.29	1.33	1.62
12.	Carbon Monoxide (CO) (mg/m ³)	2	8 Hrs	0.24	0.24	0.22	0.26	0.27	0.29

Note: All the above Ambient Air Quality Analysis were done by MOEF Approved 3rd party M/s Vardan EnviroLab

5.0 Location: - Near Ash Pond

Sr. No.	Parameters	Norms	TWA	Concentration					
				APR-21	MAY-21	JUNE-21	JULY-21	AUG-21	SEPT-21
1.	Particulate Matter of size less than 10 µm (PM ₁₀) µg/m ³	60	24 Hrs	21.20	19.45	21.35	20.20	21.30	22.55
2.	Particulate Matter of size less than 2.5 µm (PM _{2.5}) µg/m ³	100	24 Hrs	45.50	44.65	45.35	45.30	47.20	49.50
3.	Nitrogen Dioxide (NO ₂) µg/m ³	80	24 Hrs	14.65	13.70	13.70	13.75	14.00	14.20
4.	Sulphur Dioxide (SO ₂) µg/m ³	80	24 Hrs	7.05	6.75	6.60	6.75	6.90	7.15
5.	Ammonia (NH ₃) (µg/m ³)	400	24 Hrs	1.71	1.52	BDL	BDL	BDL	BDL
6.	Benzene (C ₆ H ₆) (µg/m ³)	5	Annual	1.08	0.92	BDL	BDL	BDL	BDL
7.	Benzo(a) Pyrene (BaP) (ng/m ³)	1	Annual	0.25	0.25	BDL	BDL	BDL	BDL
8.	Ozone (O ₃) (µg/m ³)	100	24 Hrs	3.35	3.10	BDL	BDL	BDL	BDL
9.	Nickel (Ni) (ng/m ³)	20	Annual	2.23	2.29	2.61	2.68	BDL	BDL
10.	Lead (Pb) (µg/m ³)	1	24 Hrs	0.02	0.04	0.04	0.04	0.04	0.04
11.	Arsenic (As) (ng/m ³)	6	Annual	0.91	0.84	0.93	0.94	1.11	0.97
12.	Carbon Monoxide (CO) (mg/m ³)	2	8 Hrs	0.22	0.21	0.26	0.29	0.31	0.31

Note: All the above Ambient Air Quality Analysis were done by MOEF Approved 3rd party M/s Vardan EnviroLab

6.0 Location: - Mr. Maroti Shankar Roge house Village-Sonegaon

Sr. No.	Parameters	Norms	TWA	Concentration					
				APR-21	MAY-21	JUNE-21	JULY-21	AUG-21	SEPT-21
1.	Particulate Matter of size less than 10 µm (PM ₁₀) µg/m ³	60	24 Hrs	21.75	21.65	21.65	24.20	24.60	25.35
2.	Particulate Matter of size less than 2.5 µm (PM _{2.5})µg/m ³	100	24 Hrs	45.80	46.15	46.15	49.55	51.25	53.50
3.	Nitrogen Dioxide (NO ₂) µg/m ³	80	24 Hrs	13.35	13.90	13.90	15.30	15.80	15.60
4.	Sulphur Dioxide (SO ₂) µg/m ³	80	24 Hrs	7.85	7.48	7.85	6.66	7.11	7.45
5.	Ammonia (NH ₃) (µg/m ³)	400	24 Hrs	1.73	1.78	BDL	BDL	BDL	BDL
6.	Benzene (C ₆ H ₆) (µg/m ³)	5	Annual	1.07	1.04	BDL	BDL	BDL	BDL
7.	Benzo(a) Pyrene (BaP) (ng/m ³)	1	Annual	0.43	0.49	BDL	BDL	BDL	BDL
8.	Ozone (O ₃) (µg/m ³)	100	24 Hrs	3.30	3.00	6.50	6.70	6.20	6.60
9.	Nickel (Ni) (ng/m ³)	20	Annual	1.25	1.19	1.26	2.00	BDL	BDL
10.	Lead (Pb) (µg/m ³)	1	24 Hrs	0.02	0.04	0.03	0.03	0.04	0.05
11.	Arsenic (As) (ng/m ³)	6	Annual	0.64	1.14	1.18	1.34	1.60	1.76
12.	Carbon Monoxide (CO) (mg/m ³)	2	8 Hrs	0.20	0.23	0.22	0.25	0.28	0.32

Note: All the above Ambient Air Quality Analysis were done by MOEF Approved 3rd party M/s Vardan EnviroLab

7.0 Location: - Terrace of Shri Bapurao Pimpalkar House, Village - Wandhri

Sr. No.	Parameters	Norms	TWA	Concentration					
				APR-21	MAY-21	JUNE-21	JULY-21	AUG-21	SEPT-21
1.	Particulate Matter of size less than 10 µm (PM ₁₀) µg/m ³	60	24 Hrs	22.60	21.40	20.55	21.45	22.15	24.00
2.	Particulate Matter of size less than 2.5 µm (PM _{2.5}) µg/m ³	100	24 Hrs	47.10	46.05	46.30	48.65	50.45	51.95
3.	Nitrogen Dioxide (NO ₂) µg/m ³	80	24 Hrs	13.40	13.40	13.20	13.85	14.25	13.70
4.	Sulphur Dioxide (SO ₂) µg/m ³	80	24 Hrs	7.55	7.15	6.85	7.10	7.47	7.26
5.	Ammonia (NH ₃) (µg/m ³)	400	24 Hrs	1.68	1.74	2.50	2.38	3.20	3.63
6.	Benzene (C ₆ H ₆) (µg/m ³)	5	Annual	0.76	0.72	BDL	BDL	BDL	BDL
7.	Benzo(a) Pyrene (BaP) (ng/m ³)	1	Annual	0.21	0.23	BDL	BDL	BDL	BDL
8.	Ozone (O ₃) (µg/m ³)	100	24 Hrs	3.53	3.33	BDL	BDL	BDL	BDL
9.	Nickel (Ni) (ng/m ³)	20	Annual	1.61	1.57	1.65	2.14	BDL	BDL
10.	Lead (Pb) (µg/m ³)	1	24 Hrs	0.04	0.03	0.03	0.04	0.05	0.04
11.	Arsenic (As) (ng/m ³)	6	Annual	0.66	0.56	0.60	0.89	1.29	1.18
12.	Carbon Monoxide (CO) (mg/m ³)	2	8 Hrs	0.22	0.23	0.25	0.23	0.25	0.28

Note: All the above Ambient Air Quality Analysis were done by MOEF Approved 3rd party M/s Vardan EnviroLab

8.0 Location: - Terrace of Gram Panchayat, Village- Yerur

Sr. No.	Parameters	Norms	TWA	Concentration					
				APR-21	MAY-21	JUNE-21	JULY-21	AUG-21	SEPT-21
1.	Particulate Matter of size less than 10 µm (PM ₁₀) µg/m ³	60	24 Hrs	23.65	22.60	20.90	19.60	20.40	22.00
2.	Particulate Matter of size less than 2.5 µm (PM _{2.5})µg/m ³	100	24 Hrs	50.90	48.80	47.40	45.40	47.45	48.00
3.	Nitrogen Dioxide (NO ₂) µg/m ³	80	24 Hrs	16.70	16.70	13.20	14.05	14.50	14.85
4.	Sulphur Dioxide (SO ₂) µg/m ³	80	24 Hrs	8.45	7.85	7.65	7.60	7.85	7.90
5.	Ammonia (NH ₃) (µg/m ³)	400	24 Hrs	3.15	3.51	3.00	3.57	4.11	4.45
6.	Benzene (C ₆ H ₆) (µg/m ³)	5	Annual	1.66	1.56	1.36	1.05	1.12	BDL
7.	Benzo(a) Pyrene (BaP) (ng/m ³)	1	Annual	0.62	0.57	0.53	0.60	0.65	0.70
8.	Ozone (O ₃) (µg/m ³)	100	24 Hrs	3.60	3.65	4.20	4.50	4.80	5.40
9.	Nickel (Ni) (ng/m ³)	20	Annual	1.85	1.74	1.84	2.16	BDL	BDL
10.	Lead (Pb) (µg/m ³)	1	24 Hrs	0.06	0.06	0.04	0.04	0.05	0.06
11.	Arsenic (As) (ng/m ³)	6	Annual	0.87	0.80	0.89	1.00	1.08	1.41
12.	Carbon Monoxide (CO) (mg/m ³)	2	8 Hrs	0.23	0.23	0.23	0.24	0.26	0.29

Note: All the above Ambient Air Quality Analysis were done by MOEF Approved 3rd party M/s Vardan EnviroLab

Annexure-9

DHARIWAL INFRASTRUCTURE LIMITED

Tadali, Dist. Chandrapur

6 Month April 2021 To September 2021

Consolidated Report on

Corporate Social Responsibility

Year 2021-2022

Broad CSR Initiatives

- 1) Education Program**
- 2) SHG Program**
- 3) Agriculture Program**
- 4) Sanitation Program**
- 5) Adolescence girls Program**
- 6) Skill development Program**

Education Program

Objective:

To provide access to quality education to 286 children from 6-14 years of age and develop their overall persona through extracurricular activities.

Activity :

- Organized 6 monthly balsakhi meeting, to collect the monthly compile report of the 7 villages.
- Organized summer camp at 7 villages.
- Organized meeting with GP Members Meeting of 7 villages '18 GP members were participated.
- Organized parents meeting at 7 villages, 172 parents were participated.
- Organized online general knowledge exam at 7 villages, 203 students were participated.
- Organized science project activities at 7 villages, 119 students were participated.
- Organized School management committee & Sarpanch meet at 7 villages.
- Organized youth meeting at 7 villages to raise awareness to conduct free coaching classes for 6-14 year children.
- Organized online balsakha workshop on mathematics.
- Organized volunteer training.
- Organized monthly syllabus wise exam at 7 villages.

Output:

- 45 % Syllabus covered till September.
- Students utilized their free time in summer camp activities.
- Students actively participated in task activity & expressed their talent on virtual platform.
- Parents & SMC members actively involved in education program.
- 17 volunteers are conducting free coaching classes in which 70 students are enrolled.



Summer Camp activity



Summer Camp activity



Online G.K Exam



Online Parent meeting



Balsakhi Class



Monthly Exam



Science activity



Volunteer training



**Balsakha workshop
(Mathematics)**

SHG Program

Objective:

Motivating & enabling 210 women for self-employment through SHG and providing them capital to set up businesses during COVID pandemic.

Activities:

- Conducted 6 monthly business data collection meeting.
- Organized poultry farm training for 2 SHG members of Dhanora & Tadali and provide 200 chicks to start the poultry farm.
- Organized Health hygiene session for SHG members by Dr. Abhilasha Gavture, 25 SHG members were participated
- 10 SHG members started Home cleaning product business.
- Conducted business analysis SHG meeting at 7 villages, 200 SHG members were participated.

Output:

- 10 SHG members start home cleaning product business & got the source of income in this COVID-19 pandemic.
- Ghe bharari unit completed 1000 mask order & got profit Rs30000 in pandemic situation.
- 2 SHG started poultry farm at Tadali & Dhanora.



Business data collection meeting



Poultry farm training



Inauguration of Poultry farm



Inauguration



Inauguration of Home cleaning products



Meeting with SHG

Agriculture Program

Objective:

To promote and strengthen efficient and effective management of agricultural production and productivity through management of farms in order to ensure economic and environmental sustainability of farmers.

Activity:

- Organized farmers club meeting at 7 villages, 129 farmers were participated.
- Organized online training on crop management, 20 farmers were participated.
- Inform the farmer about the crop insurance scheme of Govt.

Output:

- Farmers got information about the government scheme, 35 farmers applied for the scheme.
- Farmers got the information about the seed selection before cultivation.



Farmer Club meeting



Registration for crop insurance

Health & Sanitation Program

Objective:

To bring about an improvement in the general quality of life in the rural areas by motivating the communities and Panchayati Raj Institutions through awareness creation and health education.

Activity:

- Organized vaccination registration camp at Sonegaon & Wadha.
- Organized vaccination camp at DIL , 1000 villagers vaccinated.
- Donated 50 beds to quarantine Govt care centre chandrapur.
- Provided mask sanitizer to 10 villages also provided grossary kit who have affected from COVID-19.
- Organized eye check up camp at Sonegaon.
- Organized meeting for the youth club formation, 31 youths were participated.
- Organized meeting with Gram panchayat members to discuss about the COVID-19 & vaccination awareness & Dengue awareness.
- Fogging machine donated to the Pandharkda grampanchayat to control the mosquitoes.
- Digital screen donated to Pandharkwda Gram panchayat.
- Collected data of COVID-19 patients in 7 villages & counsel them by the doctors.
- Home to home mobilization done to aware the villagers for the vaccination.
- Organized meeting with GP member to organize the vaccination camp at every village to increase the rate of vaccination.
- Organized blood donation camp, 112 people donate blood in camp.

Output:

- 65 villagers of Sonegaon took the benefit of the eye check-up camp.
- Villagers still following the three cardinal principal to prevent COVID-19.
- Awareness will be easier with the help of digital screen.
- Villagers participated for the vaccination.



Vaccination registration camp



Awareness on COVID-19



Eye checkup camp



Inauguration of digital screen



Donate Fogging machine to Pandharkawda Grampanchayat



Donate bed to COVID Patients



Vaccination Camp at DIL



Grocery kit distribution

Adolescence girls Program

Objective:


105 adolescent girls to enable for self-development and empowerment, to improve their nutrition and health status, promote awareness about health, menstrual hygiene, nutrition, sexual health, & upgrade home-based skills, vocational & life skill.

Activity:

- Organized monthly and weekly meeting for the adolescence girls, to discuss their problems.
- Organized one month online Yoga classes, 30 adolescence girls were participated.
- Organized carrier guidance session and goal setting session 52 adolescence girls were participated.
- Organized session on Communication skill, 35 adolescence girls were participated.
- Organized sickle cell anemia session, 25 adolescence girls were participated.
- Organized session on waste management, 23 adolescence girls were participated.
- Organized online one month spoken English class.
- Organized historical study tours at Manikgh, 11 adolescence girls were participated.
- Organized HB camp Morva and Sonegaon, 90 adolescence girl were participated.
- Organized skin care session by dermatologist.

Output:


- 90 adolescence girls tested their HB 7 got guidance on nutrition and diet by the doctor.
- Adolescence girls got free on month spoken English class in which Basic English grammar& vocabulary covered.
- Adolescence girls aware about the sickle cell anemia and HIV/AIDS.



Weekly meeting



Skin care session



Spoken English class



Session on Sickle cell anemia




Exposure visit



HIV/AIDS awareness session



Session on communication skill



Session on goal setting



HB camp (Morva)



Session on waste management



Visit to kitchen garden

Skill Development program

Objective:

To support village youth in attaining technical skill to be gainfully, economic empowerment of youths from underprivileged community.

Activity:

- 2 youths were admitted for mobile repairing center.
- Inauguration of mobile repairing center.

Output:

- 2 youths started mobile repairing center at Pandharkawda & Dhanora and got source of income.



Inauguration of mobile repairing center



**RP - Sanjiv Goenka
Group**
Growing Legacies



Dhariwal Infrastructure Limited

CIN : U70109WB2006PLC111457
E-mail : dhariwalinfrastructure@rpsg.in

Ref: DIL/HSE/F-08/21-22/53

Date : 28.09.2021

To,
The Member Secretary,
Maharashtra Pollution Control Board,
Kalpataru Point, 3rd Floor,
Sion Matunga Road No.8,
Sion East,
Mumbai-400022.

Sub: Submission of Environmental Statement for the financial year ending 31st March 2021.

Dear Sir,

We have submitted online, the Annual Environment Statement for the financial year 2020-21 on EC MPCB Portal. Copy of the Environment Statement (Form-V) downloaded from EC MPCB portal along with annexures is attached herewith for your ready reference.

We also want to inform you that due to size constraint in the online application, we had attached compiled Analysis report (Water & Air & Hazardous Waste) for the financial year 2020-21 from recognized laboratory by MoEF, however original reports are attached herewith along this letter.

We hope you will find the same in order.

Thanking you,

Yours Faithfully,
For Dhariwal Infrastructure Limited.


Authorized Signatory

CC:

1. The Regional Officer,
Maharashtra Pollution Control Board,
1st Floor, Udyog Bhawan,
Chandrapur (Maharashtra).

2. Sub Regional Officer,
Maharashtra Pollution Control Board,
1st Floor, Udyog Bhawan,
Chandrapur (Maharashtra).